

Activations cérébrales liées à l'intégration des indices locaux lors de la perception de la transparence : Investigation basée sur l'imagerie fonctionnelle cérébrale

THÈSE

présentée et soutenue publiquement le 13 septembre 2007

pour l'obtention du grade de

Docteur de l'Université Lumière – Lyon II
en Sciences Cognitives
(Mention Neurosciences)

par

Romain Bouet

Composition du jury

Directeurs de thèse : Dojat M.
Knoblauch K.

Président : Koenig O.

Rapporteurs : Hadjikhani N.
Kiper D.

Examineur : Vienot F.

Table des matières

Préambule	1
Partie I Introduction	8
Chapitre 1	
Perception de la couleur	
1.1 Rétrospective	9
1.2 Les phénomènes chromatiques	11
1.2.1 Le contraste chromatique	11
1.2.2 L'effet de McCollough	13
1.2.3 Le Water Color Effect (WCE)	13
1.2.4 Le Neon Color Spreading (NCS)	14
1.3 Propriétés des surfaces	16
1.3.1 La constance chromatique	16
1.3.2 Mécanismes de la constance	21
Chapitre 2	
Perception de la transparence	
2.1 Propriétés géométriques (les jonctions)	27
2.2 Propriétés photométriques	29
2.2.1 Le modèle physique soustractif	29
2.2.2 Les modèles additifs	32
2.2.3 Évolution vers la couleur	34
2.2.4 Extension de l'épiscotister vers un modèle soustractif	34
2.3 Modèle de convergence généralisé	35
2.3.1 Translation	35

2.3.2	Convergence	37
2.3.3	Translation et convergence	38
2.3.4	Le modèle des rapports de cône	39
2.3.5	Scaling modèle	40
2.3.6	Tests des modèles	41
2.4	Les substrats neuronaux de la transparence	43
2.4.1	Le bas-niveau	44
2.4.2	Le niveau intermédiaire	45
2.4.3	Le haut-niveau	46

Chapitre 3

Organisation anatomo-fonctionnelle du système visuel

3.1	L'oeil, un appareil optique	50
3.2	L'oeil, structure neuronale	51
3.2.1	Les photorécepteurs	52
3.2.2	L'intégration	54
3.3	Le corps géniculé latérale	60
3.4	Le cortex	63
3.4.1	L'aire V1	64
3.4.2	L'aire V2	65
3.4.3	L'aire V4	65
3.4.4	L'aire IT	67
3.4.5	Le principe de la rétinotopie	67
3.4.6	Les connexions	68
3.5	L'intégration globale	69
3.5.1	Approche anatomique de la cohérence	70

Chapitre 4

Imagerie par résonance magnétique (RMN)

4.1	Principe de la RMN	73
4.2	Imagerie par Résonance Magnétique fonctionnelle (IRMf)	76
4.3	Remarques	79

Synthèse

Chapitre 1**Matériel et méthodes**

1.1	Stimulus	83
1.1.1	Organisation spatiale	83
1.1.2	Espace couleur de travail	85
1.1.3	Modulations chromatiques	85
1.2	Équipements	88
1.2.1	IRM	88
1.2.2	Affichage des stimulus	88
1.3	Procédure	89
1.4	Prétraitements	90
1.4.1	Réalignement intra-modalités	90
1.4.2	Correction des distorsions géométriques	91
1.4.3	Le réalignement inter-modalités	91
1.4.4	Lissage	91
1.4.5	Normalisation spatiale	92
1.5	Analyse	93
1.5.1	Modèle Linéaire Général	93
1.5.2	Analyse statistique	97

Chapitre 2**Mécanismes corticaux impliqués dans le traitement de la cohérence chromatique**

2.1	Matériel et méthodes	100
2.1.1	Procédure	100
2.1.2	Stimulus	102
2.1.3	Participants	103
2.2	Résultats	104
2.2.1	Homogénéité	104
2.2.2	Analyse de la cohérence	104
2.2.3	Traitement de la saillance des stimulus	107

Chapitre 3

Analyses statistiques spécifiques

3.1	Extraction des données	112
3.2	LME (Linear Mixed-Effects Models)	114
3.3	Estimation d'un modèle statistique	116
3.4	Résultats	122
3.4.1	Analyse des facteurs aléatoires	123
3.4.2	Analyse des facteurs fixes	123

Chapitre 4

Évaluation d'égalisation des contrastes locaux

4.1	Matériel et méthodes	130
4.1.1	Stimulus	130
4.1.2	Procédure	132
4.1.3	Participants	133
4.2	Résultats	133
4.2.1	Modulations achromatiques	133
4.2.2	Cohérence	134

Chapitre 5

Régions corticales impliquées dans le traitement de la cohérence achromatique

5.1	Matériel et méthodes	137
5.1.1	Stimulus	137
5.1.2	Procédure	139
5.1.3	Participants	140
5.2	Résultats	140

Chapitre 6

Analyse dans le gyrus parahippocampique

6.1	Région d'intérêt (ROI)	145
6.2	Matériel et méthodes	147
6.2.1	Stimulus	147
6.2.2	Participants	147
6.2.3	Procédure	148

6.3	Résultats	148
6.3.1	ROI sur la première expérience	150
6.3.2	ROI sur le contrôle du contraste spatial	151

Chapitre 7

Analyse dans le complexe occipito-latéral (LOC)

7.1	Matériel et méthodes	153
7.2	Résultats	154
7.2.1	ROI sur la première expérience	154
7.2.2	ROI sur le contrôle du contraste spatial	156
7.2.3	ROI sur le contrôle achromatique	156

Chapitre 8

Analyse rétinotopique

8.1	Matériel et méthodes	158
8.1.1	Stimulus	158
8.1.2	Acquisition	160
8.2	Résultats	160
8.2.1	Projections sur la première expérience	161
8.2.2	Projections sur le contrôle du contraste spatial	162
8.2.3	Projections sur le contrôle achromatique	162
8.3	V4	164

Partie III	Discussion et conclusion	166
-------------------	---------------------------------	------------

Bibliographie	188
----------------------	------------

Annexe A

Espaces de travail

A.1	Espace CIE	215
A.2	Espace LMS	218
A.3	Espace DKL	221

Annexe B**Modulations**

B.1	Chapitre 2	224
B.2	Chapitre 5	225

Annexe C**Analyses statistiques spécifiques**

C.1	Construction du modèle	226
C.2	Analyses statistiques spécifiques	241

Annexe D**Region d'interet****Annexe E****Rétinotopie**

Bibliographie

- Adelson, E. H. (2000). *Lightness perception and lightness illusions*. in The New Cognitive Neurosciences, ed. m gazzaniga (cambridge, ma : mit press) edition.
- Aguirre, G. K. et D'Esposito, M. (1999). Topographical disorientation : a synthesis and taxonomy. *Brain*, 122 (Pt 9) :1613–1628.
- Aguirre, G. K., Detre, J. A., Alsop, D. C., et D'Esposito, M. (1996). The parahippocampus subserves topographical learning in man. *Cereb Cortex*, 6(6) :823–829.
- Aguirre, G. K., Zarahn, E., et D'Esposito, M. (1998). An area within human ventral cortex sensitive to "building" stimuli : evidence and implications. *Neuron*, 21(2) :373–383.
- Ahnelt, P. et Kolb, H. (1994). Horizontal cells and cone photoreceptors in human retina : a Golgi-electron microscopic study of spectral connectivity. *J Comp Neurol*, 343(3) :406–427.
- Akaike, H. (1974). A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19(6) :716–723.
- Albert, M. K. (2006). Lightness and perceptual transparency. *Perception*, 35(4) :433–443.
- Albright, T. D. et Stoner, G. R. (2002). Contextual influences on visual processing. *Annu Rev Neurosci*, 25 :339–379.
- Allen, E. (1980). *Optical Radiation Measurements*, volume 2 : Color Measurement, chapitre Colorant formulation and shading. Academic, N.Y., f. grum and c.j. bartelson, eds. edition.
- Allman, J. M. et Kaas, J. H. (1974). The organization of the second visual area (V II) in the owl monkey : a second order transformation of the visual hemifield. *Brain Res*, 76(2) :247–265.
- Altmann, C. F., Bulthoff, H. H., et Kourtzi, Z. (2003). Perceptual organization of local elements into global shapes in the human visual cortex. *Curr Biol*, 13(4) :342–349.
- Amano, K., Foster, D. H., et Nascimento, S. M. C. (2006). Color constancy in natural scenes with and without an explicit illuminant cue. *Vis Neurosci*, 23(3-4) :351–356.
- Anderson, B. L. (1997). A theory of illusory lightness and transparency in monocular and binocular images : the role of contour junctions. *Perception*, 26(4) :419–453.
- Anderson, B. L. et Winawer, J. (2005). Image segmentation and lightness perception. *Nature*, 434(7029) :79–83.

- Angelucci, A. et Bressloff, P. C. (2006). Contribution of feedforward, lateral and feedback connections to the classical receptive field center and extra-classical receptive field surround of primate V1 neurons. *Prog Brain Res*, 154 :93–120.
- Angelucci, A., Levitt, J. B., Walton, E. J. S., Hupe, J. M., Bullier, J., et Lund, J. S. (2002). Circuits for local and global signal integration in primary visual cortex. *J Neurosci*, 22(19) :8633–8646.
- Ashburner, J. et Friston, K. J. (1999). Nonlinear spatial normalization using basis functions. *Hum Brain Mapp*, 7(4) :254–266.
- Avidan, G., Harel, M., Hendler, T., Ben-Bashat, D., Zohary, E., et Malach, R. (2002). Contrast sensitivity in human visual areas and its relationship to object recognition. *J Neurophysiol*, 87(6) :3102–3116.
- Ban, H., Yamamoto, H., Fukunaga, M., Nakagoshi, A., Umeda, M., Tanaka, C., et Ejima, Y. (2006). Toward a common circle : interhemispheric contextual modulation in human early visual areas. *J Neurosci*, 26(34) :8804–8809.
- Bandettini, P. A. et Ungerleider, L. G. (2001). From neuron to BOLD : new connections. *Nat Neurosci*, 4(9) :864–866.
- Bar, M. et Aminoff, E. (2003). Cortical analysis of visual context. *Neuron*, 38(2) :347–358.
- Barnes, J., Howard, R. J., Senior, C., Brammer, M., Bullmore, E. T., Simmons, A., et David, A. S. (1999). The functional anatomy of the McCollough contingent colour after-effect. *Neuroreport*, 10(1) :195–199. Clinical Trial.
- Barrow, H. G. et Tenenbaum, J. (1978). *in Computer Vision Systems*. Academic, New York, Hanson, A. R. and Riseman, E. M. edition.
- Bartels, A. et Zeki, S. (1998). The theory of multistage integration in the visual brain. *Proc Biol Sci*, 265(1412) :2327–2332.
- Bartels, A. et Zeki, S. (2000). The architecture of the colour centre in the human visual brain : new results and a review. *Eur J Neurosci*, 12(1) :172–193.
- Bartels, A. et Zeki, S. (2004). Functional brain mapping during free viewing of natural scenes. *Hum Brain Mapp*, 21(2) :75–85.
- Bauml, K. H. et Wandell, B. A. (1996). Color appearance of mixture gratings. *Vision Res*, 36(18) :2848–2864.

- Beck, J. (1978). Additive and subtractive color mixture in color transparency. *Percept Psychophys*, 23 :265–267.
- Beck, J., Prazdny, K., et Ivry, R. (1984). The perception of transparency with achromatic colors. *Percept Psychophys*, 35(5) :407–422.
- Bergstrom, S. S. (1977). Common and relative components of reflected light as information about the illumination, colour, and three-dimensional form of objects. *Scand J Psychol*, 18(3) :180–186.
- Bloj, M., Ripamonti, C., Mitha, K., Hauck, R., Greenwald, S., et Brainard, D. H. (2004). An equivalent illuminant model for the effect of surface slant on perceived lightness. *J Vis*, 4(9) :735–746.
- Bloj, M. G., Kersten, D., et Hurlbert, A. C. (1999). Perception of three-dimensional shape influences colour perception through mutual illumination. *Nature*, 402(6764) :877–879.
- Bohbot, V. D., Kalina, M., Stepankova, K., Spackova, N., Petrides, M., et Nadel, L. (1998). Spatial memory deficits in patients with lesions to the right hippocampus and to the right parahippocampal cortex. *Neuropsychologia*, 36(11) :1217–1238.
- Bonin, V., Mante, V., et Carandini, M. (2005). The suppressive field of neurons in lateral geniculate nucleus. *J Neurosci*, 25(47) :10844–10856.
- Boyaci, H., Doerschner, K., et Maloney, L. T. (2004). Perceived surface color in binocularly viewed scenes with two light sources differing in chromaticity. *J Vis*, 4(9) :664–679.
- Boyaci, H., Maloney, L. T., et Hersh, S. (2003). The effect of perceived surface orientation on perceived surface albedo in binocularly viewed scenes. *J Vis*, 3(8) :541–553.
- Boynton, G., Engel, S., Glover, G. H., et Heeger, D. J. (1996). Linear systems analysis of functional magnetic resonance imaging in human V1. *J Neurosci*, 16(13) :4207–4221.
- Boynton, G. M., Demb, J. B., Glover, G. H., et Heeger, D. J. (1999). Neuronal basis of contrast discrimination. *Vision Res*, 39(2) :257–269.
- Brenner, E., Ruiz, J. S., Herraiz, E. M., Cornelissen, F. W., et Smeets, J. B. J. (2003). Chromatic induction and the layout of colours within a complex scene. *Vision Res*, 43(13) :1413–1421.
- Bressan, P., Mingolla, E., Spillmann, L., et Watanabe, T. (1997). Neon color spreading : a review. *Perception*, 26(11) :1353–1366.

- Brewer, A. A., Liu, J., Wade, A. R., et Wandell, B. A. (2005). Visual field maps and stimulus selectivity in human ventral occipital cortex. *Nat Neurosci*, 8(8) :1102–1109.
- Brill, M. H. (1984). Physical And Informational Constraints On The Perception Of Transparency And Translucency. *CVGIP(28)*, pages 356–362.
- Brown, R. O. et MacLeod, D. I. (1997). Color appearance depends on the variance of surround colors. *Curr Biol*, 7(11) :844–849.
- Buckner, R. L., Goodman, J., Burock, M., Rotte, M., Koutstaal, W., Schacter, D., Rosen, B., et Dale, A. M. (1998). Functional-anatomic correlates of object priming in humans revealed by rapid presentation event-related fMRI. *Neuron*, 20(2) :285–296.
- Buckner, R. L., Petersen, S. E., Ojemann, J. G., Miezin, F. M., Squire, L. R., et Raichle, M. E. (1995). Functional anatomical studies of explicit and implicit memory retrieval tasks. *J Neurosci*, 15(1 Pt 1) :12–29.
- Burkhalter, A. et Van Essen, D. C. (1986). Processing of color, form and disparity information in visual areas VP and V2 of ventral extrastriate cortex in the macaque monkey. *J Neurosci*, 6(8) :2327–2351.
- Casagrande, V. A. (1994). A third parallel visual pathway to primate area V1. *Trends Neurosci*, 17(7) :305–310.
- Chatterjee, S. et Callaway, E. M. (2003). Parallel colour-opponent pathways to primary visual cortex. *Nature*, 426(6967) :668–671.
- Chen, C., Lakatos, P., Shah, A., Mehta, A., Givre, S., Javitt, D., et Schroeder, C. (2006). Functional Anatomy and Interaction of Fast and Slow Visual Pathways in Macaque Monkeys. *Cereb Cortex*.
- Chen, V. J. et D’Zmura, M. (1998). Test of a convergence model for color transparency perception. *Perception*, 27(5) :595–608.
- Claeys, K. G., Dupont, P., Cornette, L., Sunaert, S., Van Hecke, P., De Schutter, E., et Orban, G. A. (2004). Color discrimination involves ventral and dorsal stream visual areas. *Cereb Cortex*, 14(7) :803–822.
- Clark, V. P., Keil, K., Maisog, J. M., Courtney, S., Ungerleider, L. G., et Haxby, J. V. (1996). Functional magnetic resonance imaging of human visual cortex during face matching : a comparison with positron emission tomography. *Neuroimage*, 4(1) :1–15.

- Clavagnier, S., Falchier, A., et Kennedy, H. (2004). Long-distance feedback projections to area V1 : implications for multisensory integration, spatial awareness, and visual consciousness. *Cogn Affect Behav Neurosci*, 4(2) :117–126.
- Cohen, M. A. et Grossberg, S. (1984). Neural dynamics of brightness perception : features, boundaries, diffusion, and resonance. *Percept Psychophys*, 36(5) :428–456.
- Conway, B. R. (2001). Spatial structure of cone inputs to color cells in alert macaque primary visual cortex (V-1). *J Neurosci*, 21(8) :2768–2783.
- Cottaris, N. P. et De Valois, R. L. (1998). Temporal dynamics of chromatic tuning in macaque primary visual cortex. *Nature*, 395(6705) :896–900.
- Cowey, A., Heywood, C. A., et Irving-Bell, L. (2001). The regional cortical basis of achromatopsia : a study on macaque monkeys and an achromatopsic patient. *Eur J Neurosci*, 14(9) :1555–1566.
- Cragg, B. G. (1969). The topography of the afferent projections in the circumstriate visual cortex of the monkey studied by the Nauta method. *Vision Res*, 9(7) :733–747.
- Crick, F. et Koch, C. (1995). Are we aware of neural activity in primary visual cortex ? *Nature*, 375(6527) :121–123.
- Da Pos, O. (1977). Contributo teorico-sperimentale alla percezione della trasparenza parziale con colori. Analisi di un effetto paradossale. *osservato da W.Metzger*, 135 :47–70.
- Da Pos, O. (1989). *Trasparenze*. Icones s.r.l, first edition edition.
- Dacey, D. M., Lee, B. B., Stafford, D. K., Pokorný, J., et Smith, V. C. (1996). Horizontal cells of the primate retina : cone specificity without spectral opponency. *Science*, 271(5249) :656–659.
- Dacey, D. M., Liao, H. W., Peterson, B. B., Robinson, F. R., Smith, V. C., Pokorný, J., Yau, K. W., et Gamlin, P. D. (2005). Melanopsin-expressing ganglion cells in primate retina signal colour and irradiance and project to the LGN. *Nature*, 433(7027) :749–754.
- Daniel, P. M. et Whitteridge, D. (1961). The representation of the visual field on the cerebral cortex in monkeys. *J Physiol*, 159 :203–221.

- Daugman, J. G. (1985). Uncertainty relation for resolution in space, spatial frequency, and orientation optimized by two-dimensional visual cortical filters. *J Opt Soc Am A*, 2(7) :1160–1169.
- de Monasterio, F. M. et Gouras, P. (1977). Responses of macaque ganglion cells to far violet lights. *Vision Res.*, 17(10) :1147–1156.
- De Valois, R. et De Valois, K. (1988). *Spatial vision*. New york : Oxford up edition.
- De Valois, R. L., Cottaris, N. P., Elfar, S. D., Mahon, L. E., et Wilson, J. A. (2000). Some transformations of color information from lateral geniculate nucleus to striate cortex. *Proc Natl Acad Sci U S A*, 97(9) :4997–5002.
- Delahunt, P. B. et Brainard, D. H. (2004). Does human color constancy incorporate the statistical regularity of natural daylight ? *J Vis*, 4(2) :57–81.
- Derrington, A. M., Krauskopf, J., et Lennie, P. (1984). Chromatic mechanisms in lateral geniculate nucleus of macaque. *J Physiol*, 357 :241–265.
- Desimone, R. et Schein, S. J. (1987). Visual properties of neurons in area V4 of the macaque : sensitivity to stimulus form. *J Neurophysiol*, 57(3) :835–868.
- DeValois, R. L., Abramov, I., et Jacobs, G. H. (1966). Analysis of response patterns of lgn cells. *J.Opt. Soc. Am.*, 56 :966–977.
- Devinck, F., Delahunt, P. B., Hardy, J. L., Spillmann, L., et Werner, J. S. (2005). The watercolor effect : quantitative evidence for luminance-dependent mechanisms of long-range color assimilation. *Vision Res*, 45(11) :1413–1424.
- Devinck, F., Delord, S., et Knoblauch, K. (2001). Edge and surface contributions to detection. *Perception*, 30 :85–86.
- DeYoe, E. A. et Van Essen, D. C. (1985). Segregation of efferent connections and receptive field properties in visual area V2 of the macaque. *Nature*, 317(6032) :58–61.
- Doerschner, K., Boyaci, H., et Maloney, L. T. (2004). Human observers compensate for secondary illumination originating in nearby chromatic surfaces. *J Vis*, 4(2) :92–105.
- Dojat, M., Pieltre, L., Delon-Martin, C., Pachot-Clouard, M., Segebarth, C., et Knoblauch, K. (2006). Global integration of local color differences in transparency perception : An fMRI study. *Vis Neurosci*, 23(3-4) :357–364.

- Downing, P. E., Chan, A. W.-Y., Peelen, M. V., Dodds, C. M., et Kanwisher, N. (2006). Domain specificity in visual cortex. *Cereb Cortex*, 16(10) :1453–1461.
- Downing, P. E., Jiang, Y., Shuman, M., et Kanwisher, N. (2001). A cortical area selective for visual processing of the human body. *Science*, 293(5539) :2470–2473.
- Dumoulin, S. O., Bittar, R. G., Kabani, N. J., Baker, C. L. J., Le Goualher, G., Bruce Pike, G., et Evans, A. C. (2000). A new anatomical landmark for reliable identification of human area V5/MT : a quantitative analysis of sulcal patterning. *Cereb Cortex*, 10(5) :454–463.
- D’Zmura, M., Colantoni, P., Knoblauch, K., et Laget, B. (1997). Color transparency. *Perception*, 26(4) :471–492.
- D’Zmura, M., Rinner, O., et Gegenfurtner, K. R. (2000). The colors seen behind transparent filters. *Perception*, 29(9) :911–926.
- Ebner, M. (2004). A parallel algorithm for color constancy. *J Para Distr Comp*, 64(1) :79–88.
- Einhauser, W. et Konig, P. (2003). Does luminance-contrast contribute to a saliency map for overt visual attention? *Eur J Neurosci*, 17(5) :1089–97.
- Eisner, A. et MacLeod, D. I. A. (1980). Blue cones do not contribute to luminance. *J Opt Soc Am*, 70 :121–123.
- Ekroll, V., Faul, F., et Niederee, R. (2004). The peculiar nature of simultaneous colour contrast in uniform surrounds. *Vision Res*, 44(15) :1765–1786.
- Engel, S., Zhang, X., et Wandell, B. (1997a). Colour tuning in human visual cortex measured with functional magnetic resonance imaging. *Nature*, 388(6637) :68–71.
- Engel, S. A., Glover, G. H., et Wandell, B. A. (1997b). Retinotopic organization in human visual cortex and the spatial precision of functional MRI. *Cereb Cortex*, 7(2) :181–192.
- Epstein, R., DeYoe, E. A., Press, D. Z., Rosen, A. C., et Kanwisher, N. (2001). Neuropsychological evidence for a topographical learning mechanism in parahippocampal cortex. *Cogn Neuropsych*, 18(6) :481–508.
- Epstein, R., Graham, K. S., et Downing, P. E. (2003). Viewpoint-specific scene representations in human parahippocampal cortex. *Neuron*, 37(5) :865–876.

- Epstein, R., Harris, A., Stanley, D., et Kanwisher, N. (1999). The parahippocampal place area : recognition, navigation, or encoding? *Neuron*, 23(1) :115–125.
- Epstein, R. et Higgins, J. (2006). Differential Parahippocampal and Retrosplenial Involvement in Three Types of Visual Scene Recognition. *Cereb Cortex*.
- Epstein, R. et Kanwisher, N. (1998). A cortical representation of the local visual environment. *Nature*, 392(6676) :598–601.
- Essen, D. C. et Zeki, S. M. (1978). The topographic organization of rhesus monkey prestriate cortex. *J Physiol*, 277 :193–226.
- Faul, F. et Ekroll, V. (2002). Psychophysical model of chromatic perceptual transparency based on subtractive color mixture. *J Opt Soc Am A Opt Image Sci Vis*, 19(6) :1084–1095.
- Felleman, D. J. et Van Essen, D. C. (1991). Distributed hierarchical processing in the primate cerebral cortex. *Cereb Cortex*, 1(1) :1–47.
- Fitzpatrick, D. (2000). Seeing beyond the receptive field in primary visual cortex. *Curr Opin Neurobiol*, 10(4) :438–443.
- Fize, D., Vanduffel, W., Nelissen, K., Denys, K., Chef d’Hotel, C., Faugeras, O., et Orban, G. A. (2003). The retinotopic organization of primate dorsal V4 and surrounding areas : A functional magnetic resonance imaging study in awake monkeys. *J Neurosci*, 23(19) :7395–7406.
- Freeman, T. C. B., Durand, S., Kiper, D. C., et Carandini, M. (2002). Suppression without inhibition in visual cortex. *Neuron*, 35(4) :759–771.
- Friston, K. J., Holmes, A. P., Price, C. J., Buchel, C., et Worsley, K. J. (1999). Multisubject fMRI studies and conjunction analyses. *Neuroimage*, 10(4) :385–396.
- Friston, K. J., Rotshtein, P., Geng, J. J., Sterzer, P., et Henson, R. N. (2006). A critique of functional localisers. *Neuroimage*, 30(4) :1077–1087.
- Gattass, R., Sousa, A. P., et Gross, C. G. (1988). Visuotopic organization and extent of V3 and V4 of the macaque. *J Neurosci*, 8(6) :1831–1845.
- Gegenfurtner, K. R. (2003). Cortical mechanisms of colour vision. *Nat Rev Neurosci*, 4(7) :563–572.

- Gegenfurtner, K. R., Kiper, D. C., et Levitt, J. B. (1997). Functional properties of neurons in macaque area V3. *J Neurophysiol*, 77(4) :1906–1923.
- Geisler, W. S. et Albrecht, D. G. (1997). Visual cortex neurons in monkeys and cats : detection, discrimination, and identification. *Vis Neurosci*, 14(5) :897–919.
- Gerardin, P., Roud, P., Susstrunk, S., et Knoblauch, K. (2006). Effects of motion and configural complexity on color transparency perception. *Vis Neurosci*, 23(3-4) :591–596.
- Gerbino, W., Stulitens, C. I., Troost, J. M., et de Weert, C. M. (1990). Transparent layer constancy. *J Exp Psychol Hum Percept Perform*, 16(1) :3–20.
- Ghaem, O., Mellet, E., Crivello, F., Tzourio, N., Mazoyer, B., Berthoz, A., et Denis, M. (1997). Mental navigation along memorized routes activates the hippocampus, precuneus, and insula. *Neuroreport*, 8(3) :739–744.
- Gilchrist, A., Kossyfidis, C., Bonato, F., Agostini, T., Cataliotti, J., Li, X., Spehar, B., Annan, V., et Economou, E. (1999). An anchoring theory of lightness perception. *Psychol Rev*, 106(4) :795–834.
- Gilchrist, A. L. (1979). The perception of surface blacks and whites. *Sci Am*, 240(3) :112–122.
- Gilchrist, A. L. et Jacobsen, A. (1983). Lightness constancy through a veiling luminance. *J Exp Psychol Hum Percept Perform*, 9(6) :936–944.
- Girard, P., Lomber, S. G., et Bullier, J. (2002). Shape discrimination deficits during reversible deactivation of area V4 in the macaque monkey. *Cereb Cortex*, 12(11) :1146–1156.
- Glass, L. (1969). Moiré effect from random dots. *Nature*, 223 :578–580.
- Golz, J. et MacLeod, D. I. A. (2002). Influence of scene statistics on colour constancy. *Nature*, 415(6872) :637–640.
- Grill-Spector, K. (2003). The neural basis of object perception. *Curr Opin Neurobiol*, 13(2) :159–166.
- Grill-Spector, K., Kourtzi, Z., et Kanwisher, N. (2001). The lateral occipital complex and its role in object recognition. *Vision Res*, 41(10-11) :1409–1422.

- Grill-Spector, K., Kushnir, T., Edelman, S., Avidan, G., Itzhak, Y., et Malach, R. (1999). Differential processing of objects under various viewing conditions in the human lateral occipital complex. *Neuron*, 24(1) :187–203.
- Grill-Spector, K., Kushnir, T., Edelman, S., Itzhak, Y., et Malach, R. (1998). Cue-invariant activation in object-related areas of the human occipital lobe. *Neuron*, 21(1) :191–202.
- Grill-Spector, K. et Malach, R. (2001). fMR-adaptation : a tool for studying the functional properties of human cortical neurons. *Acta Psychol (Amst)*, 107(1-3) :293–321.
- Grossberg, S. (1994). 3-D vision and figure-ground separation by visual cortex. *Percept Psychophys*, 55(1) :48–121.
- Guild, J. (1931). The colorimetric properties of the spectrum. *Philosophical Transactions of the Royal Society of London*, A230 :149–187.
- Habib, M. et Sirigu, A. (1987). Pure topographical disorientation : a definition and anatomical basis. *Cortex*, 23(1) :73–85.
- Hadjikhani, N., Liu, A. K., Dale, A. M., Cavanagh, P., et Tootell, R. B. (1998). Retinotopy and color sensitivity in human visual cortical area V8. *Nat Neurosci*, 1(3) :235–241.
- Hagedorn, J. et D’Zmura, M. (2000). Color appearance of surfaces viewed through fog. *Perception*, 29(10) :1169–1184.
- Hartley, H. O. et Rao, J. N. K. (1967). Maximum likelihood estimation for the mixed analysis of variance model. *Biometrika*, 54 :93–108.
- Haynes, J. D., Roth, G., Stadler, M., et Heinze, H. J. (2003). Neuromagnetic correlates of perceived contrast in primary visual cortex. *J Neurophysiol*, 89(5) :2655–2666.
- Heider, G. (1932). New studies in transparency, form and color. *Psychologische Forschung*, 17 :13–55.
- Helmholtz, H. v. (1924). *The Optical Society of America*, chapitre Helmholtz’s Treatise on Physiological Optics. Rochester, N.Y.
- Hering, E. (1878). *Zur lehre vom Llichtsinne (Wiem : Carl Gerold’s Sohn)*. English translation by Leo M. Hurvich and Dorothea Jameson, *Outlines of a theory of light sense*. Cambridge, Massachusetts : Harvard University Press, 1964.

- Hering, E. (1920). *Grundzüge der Lehre vom Lichtsinn*. Springer-Verlag, berlin edition.
- Hess, R. et Field, D. (1999). Integration of contours : new insights. *Trends Cogn Sci*, 3(12) :480–486.
- Heywood, C. A., Gadotti, A., et Cowey, A. (1992). Cortical area V4 and its role in the perception of color. *J Neurosci*, 12(10) :4056–4065.
- Horwitz, G. D., Chichilnisky, E. J., et Albright, T. D. (2005). Blue-yellow signals are enhanced by spatiotemporal luminance contrast in macaque V1. *J Neurophysiol*, 93(4) :2263–2278.
- Howard, R. J., ffytche, D. H., Barnes, J., McKeefry, D., Ha, Y., Woodruff, P. W., Bullmore, E. T., Simmons, A., Williams, S. C., David, A. S., et Brammer, M. (1998). The functional anatomy of imagining and perceiving colour. *Neuroreport*, 9(6) :1019–1023.
- Hubel, D. H. et Livingstone, M. S. (1987). Segregation of form, color, and stereopsis in primate area 18. *J Neurosci*, 7(11) :3378–3415.
- Humphrey, G. K., Goodale, M. A., Corbetta, M., et Aglioti, S. (1995). The McCollough effect reveals orientation discrimination in a case of cortical blindness. *Curr Biol*, 5(5) :545–551.
- Hurlbert, A. et Wolf, K. (2004). Color contrast : a contributory mechanism to color constancy. *Prog Brain Res*, 144 :147–160.
- Ishai, A., Haxby, J. V., et Ungerleider, L. G. (2002). Visual imagery of famous faces : effects of memory and attention revealed by fMRI. *Neuroimage*, 17(4) :1729–1741.
- Ishai, A., Ungerleider, L. G., Martin, A., Schouten, J. L., et Haxby, J. V. (1999). Distributed representation of objects in the human ventral visual pathway. *Proc Natl Acad Sci U S A*, 96(16) :9379–9384.
- Itti, L., Koch, C., et Braun, J. (2000). Revisiting spatial vision : toward a unifying model. *J Opt Soc Am A Opt Image Sci Vis*, 17(11) :1899–1917.
- Ives, H. E. (1912). The relation between the color of the. Illuminant and the color of the illuminated object. *Trans Illuminat Eng Soc*, 7 :62–72.
- Johansen-Berg, H., Behrens, T. E. J., Robson, M. D., Drobnjak, I., Rushworth, M. F. S., Brady, J. M., Smith, S. M., Higham, D. J., et Matthews, P. M. (2004). Changes in

- connectivity profiles define functionally distinct regions in human medial frontal cortex. *Proc Natl Acad Sci U S A*, 101(36) :13335–13340.
- Johnson, E. N., Hawken, M. J., et Shapley, R. (2001). The spatial transformation of color in the primary visual cortex of the macaque monkey. *Nat Neurosci*, 4(4) :409–416.
- Kaiser, P. K., Lee, B. B., Martin, P. R., et Valberg, A. (1990). The physiological basis of the minimally distinct border demonstrated in the ganglion cells of the macaque retina. *J Physiol*, 422 :153–183.
- Kaniza, G. (1979). *Organization in vision*. New York : Praeger.
- Kanwisher, N., McDermott, J., et Chun, M. M. (1997). The fusiform face area : a module in human extrastriate cortex specialized for face perception. *J Neurosci*, 17(11) :4302–4311. Comparative Study.
- Kastner, S., De Weerd, P., et Ungerleider, L. G. (2000). Texture segregation in the human visual cortex : A functional MRI study. *J Neurophysiol*, 83(4) :2453–2457.
- Kastrup, A., Kruger, G., Glover, G. H., Neumann-Haefelin, T., et Moseley, M. E. (1999). Regional variability of cerebral blood oxygenation response to hypercapnia. *NeuroImage*, 10(6) :675–681.
- Kelly, F. et Grossberg, S. (2000). Neural dynamics of 3-D surface perception : figure-ground separation and lightness perception. *Percept Psychophys*, 62(8) :1596–1618.
- Khang, B. G. et Zaidi, Q. (2002). Cues and strategies for color constancy : perceptual scission, image junctions and transformational color matching. *Vision Res*, 42(2) :211–226.
- Khang, B. G. et Zaidi, Q. (2004). Illuminant color perception of spectrally filtered spot-lights. *J Vis*, 4(9) :680–692.
- Kingdom, F. A., Beauce, C., et Hunter, L. (2004). Colour vision brings clarity to shadows. *Perception*, 33(8) :907–914.
- Kiper, D. C., Fenstemaker, S. B., et Gegenfurtner, K. R. (1997). Chromatic properties of neurons in macaque area V2. *Vis Neurosci*, 14(6) :1061–1072.
- Knill, D. C. et Kersten, D. (1991). Apparent surface curvature affects lightness perception. *Nature*, 351(6323) :228–230.

- Knoblauch, K. (1999). Vision des couleurs chez les primates. *Primatologie*, 2 :29–59.
- Knoblauch, K. (2002). In *Steven's Handbook of Experimental Psychology, Third Edition, Sensation and Perception*, chapitre Color vision, pages 41–75. John Wiley and Sons.
- Knoblauch, K. et Boyton, R. (1994). Color difference thresholds in Young's theory. *Color Research and Application*, 19 :296–309.
- Knoblauch, K. et D'Zmura, M. (2001). Reply to letter to editor by M.J. Sankeralli and K.T. Mullen published in *Vision Research*, 41, 53-55 : Lights and neural responses do not depend on choice of color space. *Vision Res*, 41(13) :1683–1684.
- Knoblauch, K. et Shevell, S. K. (2001). Relating cone signals to color appearance : Failure of monotonicity in yellow/blue. *Vis Neurosci*, 18(6) :901–906.
- Koffka (1935). *Principles of Gestalt Psychology*, chapitre 1. Lund Humphries, London.
- Konig, A. et Dieterici, C. (1886). Die Grundempfindungen und ihre Intensitätsvertheilung im Spectrum. *Sitzungsberichte der Akademie der Wissenschaften in Berlin*, pages 805–829.
- Kourtzi, Z., Bulthoff, H. H., Erb, M., et Grodd, W. (2002). Object-selective responses in the human motion area MT/MST. *Nat Neurosci*, 5(1) :17–18.
- Kourtzi, Z., Tolias, A. S., Altmann, C. F., Augath, M., et Logothetis, N. K. (2003). Integration of local features into global shapes : monkey and human fMRI studies. *Neuron*, 37(2) :333–346.
- Kraft, J. M. et Brainard, D. H. (1999). Mechanisms of color constancy under nearly natural viewing. *Proc Natl Acad Sci USA*, 96(1) :307–312.
- Krauskopf, J., Williams, D. R., et Heeley, D. W. (1982). Cardinal directions of color space. *Vision Res*, 22(9) :1123–1131.
- Kuffler, S. W. (1973). The single-cell approach in the visual system and the study of receptive fields. *Invest Ophtalmol*, 12(11) :794–813.
- Laird, N. M. et Ware, J. H. (1982). Random-effects models for longitudinal data. *Biometrics*, 38 :963–974.
- Lamme, V. A. et Roelfsema, P. R. (2000). The distinct modes of vision offered by feed-forward and recurrent processing. *Trends Neurosci*, 23(11) :571–579.

- Land, E. H. (1977). The retinex theory of color vision. *Sci Am*, 237(6) :108–128.
- Land, E. H. et McCann, J. J. (1971). Lightness and retinex theory. *J Opt Soc Am*, 61(1) :1–11.
- Landis, T., Cummings, J. L., Benson, D. F., et Palmer, E. P. (1986). Loss of topographic familiarity. An environmental agnosia. *Arch Neurol*, 43(2) :132–136.
- Landisman, C. E. et Ts'o, D. Y. (2002). Color processing in macaque striate cortex : relationships to ocular dominance, cytochrome oxidase, and orientation. *J Neurophysiol*, 87(6) :3126–3137.
- Lee, B. B. (2004). Paths to colour in the retina. *Clin Exp Optom*, 87(4-5) :239–248.
- Lee, T. S. et Nguyen, M. (2001). Dynamics of subjective contour formation in the early visual cortex. *Proc Natl Acad Sci U S A*, 98(4) :1907–1911.
- LeGrand, Y. (1949). Les seuils différentiels de couleurs dans la théorie de Young. *Revue d'Optique*, 28 :261–278.
- Lennie, P. et D'Zmura, M. (1988). Mechanisms of color vision. *Crit Rev Neurobiol*, 3(4) :333–400.
- Lennie, P., Krauskopf, J., et Sclar, G. (1990). Chromatic mechanisms in striate cortex of macaque. *J Neurosci*, 10(2) :649–669.
- Lerner, Y., Hendler, T., et Malach, R. (2002). Object-completion effects in the human lateral occipital complex. *Cereb Cortex*, 12(2) :163–177.
- Levitt, J. B. et Lund, J. S. (1997). Contrast dependence of contextual effects in primate visual cortex. *Nature*, 387(6628) :73–76.
- Levy, I., Hasson, U., Avidan, G., Hendler, T., et Malach, R. (2001). Center-periphery organization of human object areas. *Nat Neurosci*, 4(5) :533–539.
- Livingstone, M. S. et Hubel, D. H. (1984). Specificity of intrinsic connections in primate primary visual cortex. *J Neurosci*, 4(11) :2830–2835.
- Logothetis, N. K., Pauls, J., Augath, M., Trinath, T., et Oeltermann, A. (2001). Neurophysiological investigation of the basis of the fMRI signal. *Nature*, 412(6843) :150–157.
- Lotto, R. B. et Purves, D. (2000). An empirical explanation of color contrast. *Proc Natl Acad Sci USA*, 97(23) :12834–12839.

- Lotto, R. B. et Purves, D. (2002). The empirical basis of color perception. *Conscious Cogn*, 11(4) :609–629.
- Mac Adam, D. L. (1942). Visual sensitivities to color differences in daylight. *J. Opt. Soc. Am.*, 32 :247–274.
- Maccotta, L. et Buckner, R. L. (2004). Evidence for neural effects of repetition that directly correlate with behavioral priming. *J Cogn Neurosci*, 16(9) :1625–1632. Clinical Trial.
- MacEvoy, S. P., Kim, W., et Paradiso, M. A. (1998). Integration of surface information in primary visual cortex. *Nat Neurosci*, 1(7) :616–620.
- MacEvoy, S. P. et Paradiso, M. A. (2001). Lightness constancy in primary visual cortex. *Proc Natl Acad Sci U S A*, 98(15) :8827–8831.
- Mackworth, A. K. (1976). Model-driven interpretation in intelligent vision systems. *Perception*, 5(3) :349–370.
- MacLeod, D. I. A. et Boynton, R. M. (1979). Chromaticity diagram showing cone excitation by stimuli of equal luminance. *J Opt Soc Am*, 69(8) :1183–1189.
- Maguire, E. A., Frackowiak, R. S., et Frith, C. D. (1997). Recalling routes around london : activation of the right hippocampus in taxi drivers. *J Neurosci*, 17(18) :7103–7110.
- Mahler, E. (2006). Identification et caractérisation par IRMf des substrats neuronaux impliqués dans la perception de la forme chromatique globale. Mémoire de Master, Université Claude Bernard Lyon 1. Physiologie et Neurosciences.
- Malach, R., Reppas, J. B., Benson, R. R., Kwong, K. K., Jiang, H., Kennedy, W. A., Ledden, P. J., Brady, T. J., Rosen, B. R., et Tootell, R. B. (1995). Object-related activity revealed by functional magnetic resonance imaging in human occipital cortex. *Proc Nat Ac Sc*, 92 :8135–8139.
- Maldjian, J. A., Laurienti, P. J., Kraft, R. A., et Burdette, J. H. (2003). An automated method for neuroanatomic and cytoarchitectonic atlas-based interrogation of fMRI data sets. *Neuroimage*, 19(3) :1233–1239.
- Maloney, L. T. (1999). *Color vision : From genes to perception*, chapitre Physics-based models of surface color perception, pages 387–418. Cambridge, UK : Cambridge University Press, K R Gegenfurtner & L T Sharpe edition.

- Maloney, L. T. (2002). Illuminant estimation as cue combination. *J Vis*, 2(6) :493–504.
- Mandelli, M. J. F. et Kiper, D. C. (2005). The local and global processing of chromatic Glass patterns. *J Vis*, 5(5) :405–416.
- Marois, R., Yi, D. J., et Chun, M. M. (2004). The neural fate of consciously perceived and missed events in the attentional blink. *Neuron*, 41(3) :465–472.
- Martin, A., Wiggs, C. L., et Weisberg, J. (1997). Modulation of human medial temporal lobe activity by form, meaning, and experience. *Hippocampus*, 7(6) :587–593.
- McCollough, C. (1965). The conditioning of color-perception. *Am Psychol*, 78 :362–378.
- McCollough, C. (2000). Do McCollough effects provide evidence for global pattern processing? *Percept Psychophys*, 62(2) :350–362.
- McKeefry, D. J. et Zeki, S. (1997). The position and topography of the human colour centre as revealed by functional magnetic resonance imaging. *Brain*, 120 (Pt 12) :2229–2242.
- Meadows, J. C. (1974). Disturbed perception of colours associated with localized cerebral lesions. *Brain*, 97(4) :615–632.
- Merbs, S. L. et Nathans, J. (1992). Absorption spectra of human cone pigments. *Nature*, 356(6368) :433–435.
- Merigan, W. H. (1996). Basic visual capacities and shape discrimination after lesions of extrastriate area V4 in macaques. *Vis Neurosci*, 13(1) :51–60.
- Merigan, W. H. et Pham, H. A. (1998). V4 lesions in macaques affect both single- and multiple-viewpoint shape discriminations. *Vis Neurosci*, 15(2) :359–367.
- Metelli, F. (1970). An algebraic development of the theory of perceptual transparency. *Ergonomics*, 13(1) :59–66.
- Metelli, F. (1974). The perception of transparency. *Sci Am*, 230(4) :90–98.
- Metelli, F. (1985). Stimulation and perception of transparency. *Psychol Res*, 47(4) :185–202.
- Michelson, A. (1927). *Studies in Optics*. U. of Chicago Press.

- Mollon, J. D. (2003). *Normal and Defective Color Vision*, chapitre Introduction : Thomas Young and the trichromatic theory of colour vision, pages XIX–XXXIII. Cambridge University Press, Cambridge, Mollon J. D., Pokorni J. and Knoblauch K. edition.
- Mollon, J. D. (2006). Monge : The Verriest lecture, Lyon, July 2005. *Vis Neurosci*, 23(3-4) :297–309. Biography.
- Monge, G. (1789). Mémoire sur quelques phénomènes de la vision. *Annales de Chimie*, 3 :131–147.
- Moore, C. et Engel, S. A. (2001). Neural response to perception of volume in the lateral occipital complex. *Neuron*, 29(1) :277–286.
- Morand, S., Thut, G., de Peralta, R. G., Clarke, S., Khateb, A., Landis, T., et Michel, C. M. (2000). Electrophysiological evidence for fast visual processing through the human koniocellular pathway when stimuli move. *Cereb Cortex*, 10(8) :817–825.
- Morita, T., Kochiyama, T., Okada, T., Yonekura, Y., Matsumura, M., et Sadato, N. (2004). The neural substrates of conscious color perception demonstrated using fMRI. *Neuroimage*, 21(4) :1665–1673.
- Mulligan, J. B. (1993). Nonlinear combination rules and the perception of visual motion transparency. *Vision Res*, 33(14) :2021–2030.
- Murray, S. O., Kersten, D., Olshausen, B. A., Schrater, P., et Woods, D. L. (2002). Shape perception reduces activity in human primary visual cortex. *Proc Natl Acad Sci U S A*, 99(23) :15164–15169.
- Mysore, S. G., Vogels, R., Raiguel, S. E., et Orban, G. A. (2006). Processing of kinetic boundaries in macaque V4. *J Neurophysiol*, 95(3) :1864–1880.
- Nakauchi, S., Silfsten, P., Parkkinen, J., et Usui, S. (1999). Computational theory of color transparency : recovery of spectral properties for overlapping surfaces. *J Opt Soc Am A*, 16 :2612–2624.
- Neumann, H., Pessoa, L., et Hansen, T. (2001). Visual filling-in computing perceptual surface properties. *Biol Cybern*, 85(5) :355–369.
- Nichols, T. et Hayasaka, S. (2003). Controlling the familywise error rate in functional neuroimaging : a comparative review. *Stat Methods Med Res*, 12(5) :419–446.

- Nielsen, F. A. (2003). The Brede database : a small database for functional neuroimaging. *NeuroImage*, 19(2). 9th International Conference on Functional Mapping of the Human Brain, June 19-22, 2003, New York, NY.
- Nowak, L. et Bullier, J. (1998). *Cerebral Cortex*, chapitre The timing of information transfer in the visual system, pages 205–241. J. H. Kaas, K. Rockland, and A. Peters New York : Plenum.
- Nowak, L. G. et Bullier, J. (1997). *Cerebral cortex : Extrastriate cortex in primate*, chapitre The timing of information transfer in the visual system, pages 205–241. New York : Plenum, In K. Rockland, J. Kaas & A. Peters edition.
- Nunn, J. A., Gregory, L. J., Brammer, M., Williams, S. C. R., Parslow, D. M., Morgan, M. J., Morris, R. G., Bullmore, E. T., Baron-Cohen, S., et Gray, J. A. (2002). Functional magnetic resonance imaging of synesthesia : activation of V4/V8 by spoken words. *Nat Neurosci*, 5(4) :371–375.
- O'Keefe, J. et Nadel, L. (1978). The Hippocampus as a Cognitive Map. *Oxford : Oxford University Press*.
- Peelen, M. V. et Downing, P. E. (2005). Within-subject reproducibility of category-specific visual activation with functional MRI. *Hum Brain Mapp*, 25(4) :402–408.
- Peirson, S. et Foster, R. G. (2006). Melanopsin : another way of signaling light. *Neuron*, 49(3) :331–339.
- Pinheiro, J. et Bates, D. (2000). *Mixed-Effects Models in S and S-PLUS*. Springer.
- Pinna, B. (1987). Un effetto di colorazione. page 158. XXI Congresso degli Psicologi Italiani, Il laboratorio e la città.
- Pinna, B. et Grossberg, S. (2005). The watercolor illusion and neon color spreading : a unified analysis of new cases and neural mechanisms. *J Opt Soc Am A Opt Image Sci Vis*, 22(10) :2207–2221.
- Polat, U. et Bonneh, Y. (2000). Collinear interactions and contour integration. *Spat Vis*, 13(4) :393–401.
- Polk, T. A. et Farah, M. J. (1998). The neural development and organization of letter recognition : evidence from functional neuroimaging, computational modeling, and behavioral studies. *Proc Natl Acad Sci U S A*, 95(3) :847–852.

- Polk, T. A., Stallcup, M., Aguirre, G. K., Alsop, D. C., D'Esposito, M., Detre, J. A., et Farah, M. J. (2002). Neural specialization for letter recognition. *J Cogn Neurosci*, 14(2) :145–159.
- Press, W. A., Brewer, A. A., Dougherty, R. F., Wade, A. R., et Wandell, B. A. (2001). Visual areas and spatial summation in human visual cortex. *Vision Res*, 41(10-11) :1321–1332.
- Purves, D., Shimp, A., et Lotto, R. B. (1999). An empirical explanation of the cornsweet effect. *J Neurosci*, 19(19) :8542–8551.
- Qian, N. et Andersen, R. A. (1995). V1 responses to transparent and nontransparent motions. *Exp Brain Res*, 103(1) :41–50.
- Qiu, F. T. et von der Heydt, R. (2007). Neural representation of transparent overlay. *Nat Neurosci*, 10(3) :283–284.
- R Development Core Team (2005). *R : A language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria.
- Rinner, O. et Gegenfurtner, K. R. (2000). Time course of chromatic adaptation for color appearance and discrimination. *Vision Res*, 40(14) :1813–1826.
- Ripamonti, C., Bloj, M., Hauck, R., Kiran, M., Greenwald, S., Maloney, S. I., et Brainard, D. H. (2004). Measurements of the effect of surface slant on perceived lightness. *J Vis*, 4(9) :747–763.
- Ripamonti, C. et Westland, S. (2001). *Color science : Exploiting digital media*, chapitre Transparency perception, pages 3–22. John Wiley and Sons Limited, 1. w. mcdonald edition.
- Ripamonti, c. et Westland, S. (2003). Prediction of transparency perception based on cone-excitation ratio. *J Opt Soc Am A Opt Image Sci Vis*, 20(9) :1673–1680.
- Robilotto, R. et Zaidi, Q. (2004). Limits of lightness identification for real objects under natural viewing conditions. *J. Vis.*, 4(9) :779–797.
- Rodieke, Brening, R. K., et Watanabe, M. (1993). *Contrast sensitivity : the origin of parallel visual pathways*, pages 117–144. Mit press edition.
- Roelfsema, P. R., Lamme, V. A. F., Spekreijse, H., et Bosch, H. (2002). Figure-ground segregation in a recurrent network architecture. *J Cogn Neurosci*, 14(4) :525–537.

- Roorda, A. et Williams, D. R. (1999). The arrangement of the three cone classes in the living human eye. *Nature*, 397(6719) :520–522.
- Rossi, A. F., Rittenhouse, C. D., et Paradiso, M. A. (1996). The representation of brightness in primary visual cortex. *Science*, 273(5278) :1104–1107.
- Rushton, W. (1964). Interpretation of retinal densitometry. *J Opt Soc Am*, 54 :273.
- Ruttherford, M. D. et Brainard, D. H. (2002). Lightness constancy : a direct test of the illumination-estimation hypothesis. *Psychol Sci*, 13(2) :142–149.
- Ruttiger, L., Braun, D. I., Gegenfurtner, K. R., Petersen, D., Schonle, P., et Sharpe, L. T. (1999). Selective color constancy deficits after circumscribed unilateral brain lesions. *J Neurosci*, 19(8) :3094–3106.
- Sakai, K., Watanabe, E., Onodera, Y., Uchida, I., Kato, H., Yamamoto, E., Koizumi, H., et Miyashita, Y. (1995). Functional mapping of the human colour centre with echo-planar magnetic resonance imaging. *Proc Biol Sci*, 261(1360) :89–98.
- Sasaki, Y. et Watanabe, T. (2004). The primary visual cortex fills in color. *Proc Natl Acad Sci U S A*, 101(52) :18251–18256.
- Saxe, R., Brett, M., et Kanwisher, N. (2006). Divide and conquer : a defense of functional localizers. *Neuroimage*, 30(4) :1088–1096.
- Schein, S. J. et Desimone, R. (1990). Spectral properties of V4 neurons in the macaque. *J Neurosci*, 10(10) :3369–3389.
- Schiller, P. H. (1993). The effects of V4 and middle temporal (MT) area lesions on visual performance in the rhesus monkey. *Vis Neurosci*, 10(4) :717–746.
- Schnapf, J. L., Kraft, T. W., et Baylor, D. A. (1987). Spectral sensitivity of human cone photoreceptors. *Nature*, 325(6103) :439–441.
- Schwabe, L., Obermayer, K., Angelucci, A., et Bressloff, P. C. (2006). The role of feedback in shaping the extra-classical receptive field of cortical neurons : a recurrent network model. *J Neurosci*, 26(36) :9117–9129.
- Self, M. W. et Zeki, S. (2005). The integration of colour and motion by the human visual brain. *Cereb Cortex*, 15(8) :1270–1279.

- Sereno, M. I., Dale, A. M., Reppas, J. B., Kwong, K. K., Belliveau, J. W., Brady, T. J., Rosen, B. R., et Tootell, R. B. (1995). Borders of multiple visual areas in humans revealed by functional magnetic resonance imaging. *Science*, 268(5212) :889–893.
- Sereno, M. I., McDonald, C. T., et Allman, J. M. (1994). Analysis of retinotopic maps in extrastriate cortex. *Cereb Cortex*, 4(6) :601–620.
- Shapley, R. et Hawken, M. (2002). Neural mechanisms for color perception in the primary visual cortex. *Curr Opin Neurobiol*, 12(4) :426–432.
- Shapley, R. M. et Hawken, M. J. (1999). *Parallel retino-cortical channels and luminance. In Color Vision (From genes to perception)*, pages 221–234. Cambridge University Press edition.
- Shevell, K. et Wei, J. (1998). Chromatic induction : border contrast or adaptation to surrounding light ? *Vision Research*, 38 :1561–1566.
- Sincich, L. C., Park, K. F., Wohlgemuth, M. J., et Horton, J. C. (2004). Bypassing V1 : a direct geniculate input to area MT. *Nat Neurosci*, 7(10) :1123–1128.
- Singh, M. (2004). Lightness constancy through transparency : internal consistency in layered surface representations. *Vision Res*, 44(15) :1827–1842.
- Singh, M. et Anderson, B. L. (2002). Toward a perceptual theory of transparency. *Psychol Rev*, 109(3) :492–519.
- Singh, M. et Anderson, B. L. (2006). Photometric determinants of perceived transparency. *Vision Res*, 46(6-7) :879–894.
- Singh, M. et Hoffman, D. D. (1999). Completing visual contours : the relationship between relatability and minimizing inflexions. *Percept Psychophys*, 61(4) :636–660.
- Smith, A. T., Singh, K. D., Williams, A. L., et Greenlee, M. W. (2001). Estimating receptive field size from fMRI data in human striate and extrastriate visual cortex. *Cereb Cortex*, 11(12) :1182–1190.
- Smith, V. C. et Pokorny, J. (1996). The design and use of a cone chromaticity space : a tutorial. *Color Res Appl*, 21 :375–83.
- Snowden, R. J., Treue, S., Erickson, R. G., et Andersen, R. A. (1991). The response of area MT and V1 neurons to transparent motion. *J Neurosci*, 11(9) :2768–2785.

- Song, A. W., Harshbarger, T., Li, T., Kim, K. H., Ugurbil, K., Mori, S., et Kim, D. S. (2003). Functional activation using apparent diffusion coefficient-dependent contrast allows better spatial localization to the neuronal activity : evidence using diffusion tensor imaging and fiber tracking. *Neuroimage*, 20(2) :955–961.
- Spiridon, M., Fischl, B., et Kanwisher, N. (2006). Location and spatial profile of category-specific regions in human extrastriate cortex. *Hum Brain Mapp*, 27(1) :77–89.
- Squire, L. R. et Zola-Morgan, S. (1991). The medial temporal lobe memory system. *Science*, 253(5026) :1380–1386.
- Steeves, J. K. E., Humphrey, G. K., Culham, J. C., Menon, R. S., Milner, A. D., et Goodale, M. A. (2004). Behavioral and neuroimaging evidence for a contribution of color and texture information to scene classification in a patient with visual form agnosia. *J Cogn Neurosci*, 16(6) :955–965.
- Stockman, A., MacLeod, D. I., et Johnson, N. E. (1993). Spectral sensitivities of the human cones. *J. Opt. Soc. Am. A. Opt. Image Sci. Vis.*, 10(12) :2491–2521.
- Stoner, G. R. et Albright, T. D. (1992). Neural correlates of perceptual motion coherence. *Nature*, 358(6385) :412–414.
- Talairach, J. et Tournoux, P. (1988). Co-planar Stereotaxic Atlas of the Human Brain : 3-Dimensional Proportional System - an Approach to Cerebral Imaging. *Thieme Medical Publishers*.
- Talbot, S. A. et Marshall, W. H. (1941). Physiological studies of neural mechanisms of visual localization and discrimination. *Am J Ophthalmol*, 24 :1255–1264.
- Tanaka, K. (1996). Inferotemporal cortex and object vision. *Annu Rev Neurosci*, 19 :109–139.
- Tani, T., Yokoi, I., Ito, M., Tanaka, S., et Komatsu, H. (2003). Functional organization of the cat visual cortex in relation to the representation of a uniform surface. *J Neurophysiol*, 89(2) :1112–1125.
- Thorell, L. G., De Valois, R. L., et Albrecht, D. G. (1984). Spatial mapping of monkey V1 cells with pure color and luminance stimuli. *Vision Res*, 24(7) :751–769.
- Tominaga, S., Ebisui, S., et Wandell, B. A. (2001). Scene illuminant classification : brighter is better. *J Opt Soc Am A Opt Image Sci Vis*, 18(1) :55–64.

- Tootell, R. B., Reppas, J. B., Kwong, K. K., Malach, R., Born, R. T., Brady, T. J., Rosen, B. R., et Belliveau, J. W. (1995). Functional analysis of human MT and related visual cortical areas using magnetic resonance imaging. *J Neurosci*, 15(4) :3215–3230.
- Tootell, R. B., Silverman, M. S., Hamilton, S. L., Switkes, E., et De Valois, R. L. (1988). Functional anatomy of macaque striate cortex. V. Spatial frequency. *J Neurosci*, 8(5) :1610–1624.
- Tootell, R. B., Silverman, M. S., Switkes, E., et De Valois, R. L. (1982). Deoxyglucose analysis of retinotopic organization in primate striate cortex. *Science*, 218(4575) :902–904.
- Tse, P. U., Smith, M. A., Augath, M., Trinath, T., Logothetis, N. K., et Movshon, J. A. (2002). Using Glass patterns and fMRI to identify areas that process global form in macaque visual cortex [Abstract]. *J Vision*, 2(7) :285a.
- Vasseur, F. (2005). Cartes rétinotopiques des aires visuelles chez l'homme à partir d'IRM fonctionnelles à 3T. Mémoire de Master, Université Joseph Fourier de Grenoble - Institut National Polytechnique de Grenoble. Physique pour les Sciences de la Vie.
- Venables, W. N. et Ripley, B. D. (2002). *Modern Applied Statistics with S. Fourth Edition*. R package version 3.1-66.
- Viénot, F. (1994). Couleur et monde vivant. Dans *Revue du Palais de la découverte*, no spécial 44, pages 39–48. Intervention au colloque Couleur et monde vivant, Centre Français de la Couleur, Paris, 14 janvier 1994.
- Vital-Durant, F. et Bullier, J. (1999). Systématisation fonctionnelle des voies optiques. Exploration de la fonction visuelle. *J. F. Risse. Paris, Masson*, pages 37–56.
- Von der Heydt, R. et Pierson, R. (2006). Dissociation of color and figure-ground effects in the watercolor illusion. *Spat Vis*, 19(2-4) :323–340.
- Von Kries, J. (1970). *Sources of Color Vision*, chapitre "Chromatic Adaptation" originally published in *Festschrift der Albrecht-Ludwigs-Universitat*. MIT Press, Cambridge, In MacAdam, D.L. edition.
- Wachtler, T., Albright, T. D., et Sejnowski, T. J. (2001). Nonlocal interactions in color perception : nonlinear processing of chromatic signals from remote inducers. *Vision Res*, 41(12) :1535–1546.

- Wachtler, T., Sejnowski, T. J., et Albright, T. D. (2003). Representation of color stimuli in awake macaque primary visual cortex. *Neuron*, 37(4) :681–691.
- Wade, A. R., Brewer, A. A., Rieger, J. W., et Wandell, B. A. (2002). Functional measurements of human ventral occipital cortex : retinotopy and colour. *Philos Trans R Soc Lond B Biol Sci*, 357(1424) :963–973.
- Walsh, V., Butler, S. R., Carden, D., et Kulikowski, J. J. (1992). The effects of V4 lesions on the visual abilities of macaques : shape discrimination. *Behav Brain Res*, 50(1-2) :115–126.
- Walsh, V., Carden, D., Butler, S. R., et Kulikowski, J. J. (1993). The effects of V4 lesions on the visual abilities of macaques : hue discrimination and colour constancy. *Behav Brain Res*, 53(1-2) :51–62.
- Warnking, J., Dojat, M., Guerin-Dugue, A., Delon-Martin, C., Olympieff, S., Richard, N., Chehikian, A., et Segebarth, C. (2002). fMRI retinotopic mapping—step by step. *Neuroimage*, 17(4) :1665–1683.
- Watson, J. D., Myers, R., Frackowiak, R. S., Hajnal, J. V., Woods, R. P., Mazziotta, J. C., Shipp, S., et Zeki, S. (1993). Area V5 of the human brain : evidence from a combined study using positron emission tomography and magnetic resonance imaging. *Cereb Cortex*, 3(2) :79–94.
- Wertheimer, M. (1938). *Laws of organization in perceptual forms. A source book of gestalt psychology*. London : Routledge and Kegan Paul.
- Williams, A. L., Singh, K. D., et Smith, A. T. (2003). Surround modulation measured with functional MRI in the human visual cortex. *J Neurophysiol*, 89(1) :525–533.
- Wolf, K. et Hurlbert, A. C. (2003). *Normal and Defective Color Vision*, chapitre The effect of global contrast distribution on colour appearance, pages 239–247. Cambridge University Press, Cambridge, Mollon J. D., Pokorni J. and Knoblauch K. edition.
- Wong-Riley, M. et Carroll, E. W. (1984). Effect of impulse blockage on cytochrome oxidase activity in monkey visual system. *Nature*, 307(5948) :262–264.
- Wright, W. D. (1928). A re-determination of the trichromatic coefficients of the spectral colours. *Transactions of the Optical Society*, 30 :142–164.
- Xiao, Y., Wang, Y., et Felleman, D. J. (2003). A spatially organized representation of colour in macaque cortical area V2. *Nature*, 421(6922) :535–539.

- Yang, J. N. et Shevell, S. K. (2003). Surface color perception under two illuminants : the second illuminant reduces color constancy. *J Vis*, 3(5) :369–379.
- Yi, D.-J., Kelley, T. A., Marois, R., et Chun, M. M. (2006). Attentional modulation of repetition attenuation is anatomically dissociable for scenes and faces. *Brain Res*, 1080(1) :53–62.
- Yoshino, A., Kawamoto, M., Yoshida, T., Kobayashi, N., Shigemura, J., Takahashi, Y., et Nomura, S. (2006). Activation time course of responses to illusory contours and salient region : a high-density electrical mapping comparison. *Brain Res*, 1071(1) :137–144.
- Young, T. (1802). On the theory of light and colours. *Philosophical Transactions*, 92 :12–48.
- Zaidi, Q. (1999). In *Color Vision : From Genes to Perception*, chapitre Color and brightness induction : From Mach bands to 3-D configurations. Cambridge University Press, New York, Gegenfurtner, K. and Sharpe, L. (eds.) edition.
- Zaidi, Q., Yoshimi, B., et Flannigan, I. (1991). Influence of shape and perimeter length on induced color contrast. *J Opt Soc Am A*, 8(11) :1810–1817.
- Zeki, S., Watson, J. D., Lueck, C. J., Friston, K. J., Kennard, C., et Frackowiak, R. S. (1991). A direct demonstration of functional specialization in human visual cortex. *J Neurosci*, 11(3) :641–649.
- Zeki, S. M. (1969). Representation of central visual fields in prestriate cortex of monkey. *Brain Res*, 14(2) :271–291.
- Zeki, S. M. (1973). Colour coding in rhesus monkey prestriate cortex. *Brain Res*, 53(2) :422–427.
- Zeki, S. M. (1977). Colour coding in the superior temporal sulcus of rhesus monkey visual cortex. *Proc R Soc Lond B Biol Sci*, 197(1127) :195–223.
- Zeki, S. M. (1978). Uniformity and diversity of structure and function in rhesus monkey prestriate visual cortex. *J Physiol*, 277 :273–290.
- Zeki, S. M. (1983a). Colour coding in the cerebral cortex : the reaction of cells in monkey visual cortex to wavelengths and colours. *Neuroscience*, 9(4) :741–765.

- Zeki, S. M. (1983b). Colour coding in the cerebral cortex : the responses of wavelength-selective and colour-coded cells in monkey visual cortex to changes in wavelength composition. *Neuroscience*, 9(4) :767–781.
- Zeki, S. M. (1983c). The distribution of wavelength and orientation selective cells in different areas of monkey visual cortex. *Proc R Soc Lond B Biol Sci*, 217(1209) :449–470.
- Zeki, S. M. (2001). Localization and globalization in conscious vision. *A Rev Neurosci*, 24 :57–86.
- Zeki, S. M., Aglioti, S., McKeefry, D., et Berlucchi, G. (1999). The neurological basis of conscious color perception in a blind patient. *Proc Natl Acad Sci U S A*, 96(24) :14124–14129.
- Zhou, H., Friedman, H. S., et von der Heydt, R. (2000). Coding of border ownership in monkey visual cortex. *J Neurosci*, 20(17) :6594–6611.
- Zipser, K., Lamme, V. A., et Schiller, P. H. (1996). Contextual modulation in primary visual cortex. *J Neurosci*, 16(22) :7376–7389.