

Université Lumière Lyon2

École Doctorale “Cerveau et Cognition”

Laboratoire d’InfoRmatique en Images et Systèmes d’information

LIRIS - UMR CNRS 5205 - Équipe TURING

UNE MODÉLISATION ÉVOLUTIONNISTE DU LIAGE TEMPOREL

Par David MEUNIER

Thèse de doctorat de **Sciences Cognitives**
Mention Informatique

Dirigée par Professeur Hélène PAUGAM-MOISY

Présenté et soutenue publiquement le **19 Octobre 2007**

Devant un jury composé de :

Docteur Hugues BERRY (Examineur)

Docteur Olivier BERTRAND (Examineur)

Docteur Agnès GUILLOT (Examineur)

Professeur Hélène PAUGAM-MOISY (Directeur de thèse)

Professeur Marc SCHOENAUER (Rapporteur)

Docteur Catherine TALLON-BAUDRY (Rapporteur)

Table des matières

1	Introduction	1
1.1	Problématique du liage des traits	1
1.2	Modèle de liage temporel	2
1.3	Emergence par l'évolution	2
1.4	Théorie des réseaux complexes	3
1.5	Plan de la thèse	3
2	Neurophysiologie	4
2.1	Fonctionnement des neurones biologiques	4
2.1.1	Propriétés des neurones biologiques	4
2.1.2	Codage de l'information par les neurones	5
2.2	Plasticité synaptique	8
2.2.1	Assemblées cellulaires	8
2.2.2	Plasticité synaptique par taux de décharge	9
2.2.3	Plasticité synaptique temporelle	9
2.3	Neuro-imagerie et électrophysiologie	10
2.3.1	Fonction cognitive localisée	11
2.3.2	Fonctionnement "en réseau"	11
3	Hypothèse du liage temporel	13
3.1	Problématique du liage des traits	13
3.2	Liage par convergence	14
3.3	Hypothèse du liage temporel	15
3.3.1	Assemblées temporelles	15
3.3.2	Oscillations	18
3.4	Évidence expérimentale du liage temporel	21
3.4.1	Perception	21
3.4.2	Processus de groupage	22
3.4.3	Attention et influence <i>top-down</i>	24
3.4.4	Mémorisation	25
3.4.5	Intégration multi-modale	26
3.4.6	Pathologies	27
4	Neurosciences computationnelles	29
4.1	Réseaux de neurones artificiels	29
4.1.1	Réseaux de neurones artificiels "classiques"	29

4.1.2	Réseaux de neurones temporels	32
4.2	Modèles de synchronisation neuronale	36
4.2.1	Synchronisation d'oscillateurs	37
4.2.2	Modèle des <i>synfire chains</i>	37
4.2.3	Polychronisation	38
4.2.4	Emergence d'oscillations dans une structure particulière	39
4.2.5	Modèles de liage des traits	42
4.2.6	Modèle <i>a priori</i> versus <i>a posteriori</i>	43
5	Evolution	45
5.1	Evolution biologique	45
5.1.1	Théorie synthétique de l'évolution	45
5.1.2	Effet Baldwin	47
5.2	Algorithme évolutionniste	48
5.2.1	Principes de fonctionnement	48
5.2.2	Explications du fonctionnement	50
5.2.3	Applications	50
5.3	Evolution et cerveau	51
5.3.1	Evolution et apprentissage	51
5.3.2	Simulation de l'évolution du cerveau	53
5.3.3	Applications en robotique	57
5.3.4	Retour à la problématique	60
6	Théorie des réseaux complexes	61
6.1	Introduction	61
6.1.1	Systèmes complexes	61
6.1.2	Réseaux complexes	61
6.1.3	Applications de la théorie des réseaux complexes	62
6.2	Modèles et mesures pour les réseaux complexes	63
6.2.1	Composantes fortement connexes	63
6.2.2	Modèle de réseaux petit-monde et mesures d'efficacité	64
6.2.3	Réseaux invariants d'échelle	68
6.2.4	Modularité	68
6.3	Dynamique dans les modèles de réseaux complexes	73
6.3.1	Dynamique dans les réseaux petit-monde	74
6.3.2	Dynamique dans les réseaux invariants d'échelle	74
7	Réseaux complexes et cerveau	76
7.1	Modularité du cerveau	77
7.1.1	Module Fodorien	77
7.1.2	Module Darwinien	77
7.2	Réseaux complexes et neuro-imagerie	78
7.2.1	Niveau anatomique	78
7.2.2	Niveau dynamique	79
7.3	Réseaux complexes et Neurosciences computationnelles	81
7.4	Réseaux complexes et évolution	83

8	Le modèle EvoSNN	85
8.1	Modèle de neurone	85
8.2	Modèle de synapse	87
8.2.1	STDP	87
8.2.2	Règles additive ou multiplicative	87
8.2.3	Application de la STDP	88
8.3	Modèle d'évolution	88
8.3.1	Construction de la topologie du réseau	88
8.3.2	Environnement virtuel	93
8.3.3	Algorithme évolutionniste	95
9	Résultats sur l'évolution et l'apprentissage	97
9.1	Résultats sur le comportement	97
9.1.1	Résultats sur l'ensemble des simulations	97
9.1.2	Exemple d'une simulation d'évolution	99
9.1.3	Exemple du passage dans l'environnement	100
9.2	Résultats sur l'apprentissage	101
9.2.1	Protocole de test	101
9.2.2	Mise en œuvre du protocole de test	102
10	Résultats sur la topologie	105
10.1	Résultats sur la connectivité	105
10.1.1	Projections "interfaces"	105
10.1.2	Projections internes au réseau	106
10.2	Résultats sur la composante fortement connexe géante	107
10.3	Mesures "petit-monde" et efficacité	108
10.4	Résultats sur la modularité	109
10.4.1	Algorithme NG étendu aux graphes orientés	109
10.4.2	Exemple d'application de l'algorithme NG étendu	110
10.4.3	Résultats avec l'algorithme NG étendu	111
10.5	Interprétation des résultats topologiques	112
11	Résultats sur la dynamique	114
11.1	Protocole de stimulation	114
11.2	Résultats sur les bandes de fréquences	115
11.2.1	Calcul des fréquences à partir des PA	116
11.2.2	Calcul des fréquences à partir des signaux continus	117
11.3	Résultats sur les cross-corrélogrammes	120
11.3.1	Ajustements des cross-corrélogrammes	121
11.3.2	K-moyennes sur les paramètres d'ajustement	123
11.3.3	Résultats des ajustements	124
11.4	Différences entre les stimuli	128
11.5	Interprétation des résultats dynamiques	130

12 Discussion	132
12.1 Evolution	133
12.2 Apprentissage	134
12.2.1 Apprentissage dynamique	134
12.2.2 Connaissances innées	135
12.2.3 Effet Baldwin	135
12.3 Topologie	136
12.3.1 Augmentation du nombre de projections “interfaces”	136
12.3.2 Absence d’émergence de structures modulaires	137
12.3.3 Optimisation du coût de câblage	138
12.4 Dynamique	138
12.4.1 Considérations méthodologiques	139
12.4.2 Activité de fond	140
12.4.3 Injection d’un stimulus	142
12.4.4 Formation d’une assemblée temporelle et liage temporel	145
13 Conclusion	147
14 Perspectives	148
14.1 Améliorations du modèle	148
14.1.1 Inclusion d’un “coût” métabolique	148
14.1.2 Réseau petit-monde	149
14.1.3 Réseau exponentiel	149
14.2 Liens entre la topologie et la dynamique	149
14.3 Application aux études de neuro-imagerie	150
A Théorie des graphes	152
A.1 Plusieurs types de graphes	152
A.2 Représentation matricielle d’un graphe	153
A.3 Mesures sur un graphe	153
A.3.1 Degré	153
A.3.2 Plus court chemin	153
A.4 Réseaux aléatoires et réseaux de voisinage	154
A.5 Parité des circuits	154
B Méthodes d’analyse des signaux continus	156
B.1 Potentiels évoqués	156
B.2 Oscillations induites	157
B.2.1 Diagrammes Temps-Fréquence	157
B.2.2 Oscillations évoquées et induites	157
B.2.3 Synchronisation de phase	158
C Cross-corrélogrammes	159
C.1 Calcul d’un cross-corrélogramme	159
C.2 Cross-corrélogramme corrigé	160
C.3 Normalisation	160

D	Statistiques	161
D.1	ANOVA	161
D.2	χ^2 réduit	161
E	K-moyennes	162

Bibliographie

- Abarbanel, H. D. I., Huerta, R., et Rabinovich, M. I. (2002). Dynamical model of long-term synaptic plasticity. *Proc. Nat. Ac. Sci. USA*, 99 :10132–10137.
- Abbott, L. F. (1999). Lapique’s introduction of the integrate-and-fire model neuron (1907). *Brain Research Bulletin*, 50(5-6) :303–304.
- Abbott, L. F. et Nelson, S. B. (2000). Synaptic plasticity - Taming the beast. *Nature Neurosci.*, 3 :1178–1183.
- Abeles, M. (1982). *Local Cortical Circuits - An Electrophysiological Study*. Springer-Verlag, Berlin.
- Abeles, M. (1991). *Corticonics : Neural Circuits of the Cerebral Cortex*. Cambridge University Press, Cambridge UK.
- Achard, S. et Bullmore, E. (2007). Efficiency and cost of economical brain functional networks. *PLoS Computational Biology*, 3(2) :e17.
- Achard, S., Salvador, R., Witcher, B., Suckling, J., et Bullmore, E. (2006). A resilient, small-world human brain functional network with highly connected association cortical hubs. *J. Neurosci.*, 26(1) :63–72.
- Adrian, E. (1950). The electrical activity of the mammalian olfactory bulb. *Electroenceph Clin Neurophysiol*, 2 :377–388.
- Adrian, E. D. et Zotterman, Y. (1926). The impulses produced by sensory nerve endings. Part 2. *J. Physiol. Lond.*, 61 :157–171.
- Albert, R. et Barabási, A.-L. (2002). Statistical mechanics of complex networks. *Reviews of Modern Physics*, 74 :47.
- Albert, R., Jeong, H., et Barabasi, A.-L. (1999). The diameter of the world wide web. *Nature*, 401 :130–131.
- Albert, R., Jeong, H., et Barabási, A.-L. (2000). Error and attack tolerance of complex networks. *Nature*, 406 :378–382.
- Alexandre, F., Guyot, F., Haton, J.-P., et Burnod, Y. (1991). The cortical column : a new processing unit for multilayered networks. *Neural Networks*, 4(1) :15 – 25.
- Amaral, L. et Ottino, J. (2004). Complex networks : Augmenting the framework for the study of complex systems. *Eur. Phys. J. B*, 38 :147–162.

- Amaral, L. A. N., Scala, A., Barthélemy, M., et Stanley, H. E. (2000). Classes of small-world networks. *Proc. Nat Acad. Sci USA*, 97(21) :11149–11152.
- Amit, D. (1989). *Modeling brain function - The world of attractor neural networks*. Cambridge Univ. Press, New York, USA.
- Amit, D. (1995). The hebbian paradigm reintegrated : local reverberations as internal representations. *Behavioral and Brain Sciences*, 4 :617–626.
- Amit, D. J. et Brunel, N. (1997). Model of global spontaneous activity and local structured activity during delay periods in the cerebral cortex. *Cerebral Cortex*, 7 :237–252.
- Ancel, L. W. (1999). A quantitative model of the simpson–baldwin effect. *J. Theor. Biol.*, 196 :197–209.
- Avillac, M., Ben Hamed, S., et Duhamel, J.-R. (2007). Multisensory integration in the ventral intraparietal area of the macaque monkey. *J Neurosci.*, 27(8) :1922–1932.
- Baldwin, J. (1896). A new factor in evolution. *American Naturalist*, 30 :441–451, 536–553.
- Barabasi, A. L. et Albert, R. (1999). Emergence of scaling in random networks. *Science*, 286(5439) :509–512.
- Barahona, M. et Pecora, L. (2002). Synchronization in small world systems. *Phys. Rev. Lett.*, 89 :054101.
- Barkow, J., Cosmides, L., , et Tooby, J., editors (1992). *The Adapted Mind : Evolutionary psychology and the generation of culture*. Oxford University Press, New York.
- Barlow, H. B. (1972). Single units and sensation : A neuron doctrine for perceptual psychology ? *Perception*, 1(14) :371–394.
- Barrat, A., Barthélemy, M., Pastor-Satorras, R., et Vespignani, A. (2004). The architecture of complex weighted networks. *Proc. Nat. Acad. Sci. USA*, 101(11) :3747–3752.
- Basar, E., Gönder, A., Özsesmi, C., et Urgan, P. (1975). Dynamics of brain rhythmic and evoked potentials : II. Studies in the auditory pathway, reticular formation, and hippocampus during the waking stage. *Biological Cybernetics*, 20(3-4) :145–160.
- Bassett, D. S., Meyer-Lindenberg, A., Achard, S., Duke, T., et Bullmore, E. (2006). Adaptive reconfiguration of fractal small-world human brain functional networks. *Proc. Natl. Acad. Sci. USA*, 103(51) :19518–19523.
- Bazhenov, M., Stopfer, M., Rabinovich, M., Huerta, R., Abarbanel, H. D. I., Sejnowski, T. J., et Laurent, G. (2001). Model of transient synchronization in the locust antennal lobe. *Neuron*, 30 :553–567.
- Beer, R. D. (2000). Dynamical approaches in cognitive sciences. *Trends in Cognitive Sciences*, 4 :91–99.
- Bertrand, O. (2006). Analyse des activités oscillatoires EEG/MEG. Journées InterRégionales de Formation en NeuroImagerie.

- Bertrand, O., Bohorquez, J., et Pernier, J. (1994). Time-frequency digital filtering based on an invertible wavelet transform : an application to evoked potentials. *IEEE Trans. Biomed. Eng.*, 41(1) :77–88.
- Bi, G.-Q. et Poo, M.-M. (1998). Synaptic modifications in cultured hippocampal neurons : dependence on spike timing, synaptic strength, and postsynaptic cell type. *J. Neurosci.*, 18 :10464–10472.
- Bi, G.-Q. et Poo, M.-M. (2001). Synaptic modification of correlated activity : Hebb’s postulate revisited. *Ann. Rev. Neurosci.*, 24 :139–166.
- Bibbig, A., Traub, R. D., et Whittington, M. A. (2002). Long-range synchronization of and oscillations and the plasticity of excitatory and inhibitory synapses : A network model. *J. Neurophysiol.*, 88(4) :1634–1654.
- Bienenstock, E. (1995). A model of neocortex. *Network : Computation in Neural Systems*, 6 :179–224.
- Bienenstock, E. L., Cooper, L. N., et Munro, P. W. (1982). Theory for the development of neuron selectivity : orientation specificity and binocular interaction in visual cortex. *J. Neurosci.*, 2 :32–48.
- Bliss, T. V. P. et Collingridge, G. L. (1993). A synaptic model of memory : long-term potentiation in the hippocampus. *Nature*, 361 :31 – 39.
- Bliss, T. V. P. et Lømo, T. (1973). Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path. *J. Physiol.*, 232(2) :331–356.
- Boguñá, M., Pastor-Satorras, R., et Vespignani, A. (2003). Absence of epidemic threshold in scale-free networks with degree correlations. *Phys. Rev. Lett.*, 90(2) :028701.
- Bohland, J. et Minai, A. (2001). Efficient associative memory using small-world architecture. *Neurocomp.*, 38-40 :489–496.
- Bollobás, B. (1985). *Random Graphs*. Academic Press, New York.
- Bottou, L. et Bengio, Y. (1995). Convergence properties of the kmeans algorithm. In Tesauro, G., Touretzky, D., et Leen, T., editors, *Advances in NIPS*, volume 7, pages 585–592, Denver.
- Brandes, U. (2001). A faster algorithm for betweenness centrality. *J. Math. Sociol.*, 25 :163–177.
- Bressler, S. L. et Kelso, J. A. S. (2001). Cortical coordination dynamics and cognition. *Trends in Cog. Sci.*, 5(1) :26–36.
- Broder, A., Kumar, R., Maghoul, F., Raghavan, P., Rajagopalan, S., Stata, R., Tomkins, A., et Wiener, J. (2000). Graph structure in the web. *Computer Networks*, 33(1-6) :309–320.
- Brooks, R. A. (1991). Intelligence without reason. In Myopoulos, J. et Reiter, R., editors, *Proceedings of IJCAI-91*, pages 569–595, Sydney, Australia.
- Brooks, R. A. et Stein, L. A. (1994). Building brains for bodies. *Autonomous Robotics*.

- Brunel, N. et Wang, X.-J. (2003). What determines the frequency of fast network oscillations with irregular neural discharges? I. synaptic dynamics and excitation-inhibition balance. *J Neurophysiol*, 90 :415–430.
- Buzsaki, G. (2002). Theta oscillations in the hippocampus. *Neuron*, 33(3) :325–340.
- Buzsaki, G. (2004). Large-scale recording of neuronal ensembles. *Nature Neurosci.*, 7 :446–451.
- Buzsaki, G. et Draguhn, A. (2004). Neuronal oscillations in cortical networks. *Science*, 304 :1926 – 1929.
- Buzsáki, G., Geisler, C., Henze, D. A., et Wang, X.-J. (2004). Interneuron diversity series : Circuit complexity and axon wiring economy of cortical interneurons. *TRENDS in Neurosciences*, 27(4) :186–193.
- Capocci, A., Servedio, V. D. P., Colaioni, F., Buriol, L. S., Donato, D., Leonardi, S., et Caldarelli, G. (2006). Preferential attachment in the growth of social networks : the internet encyclopedia wikipedia. *Phys. Rev. E*, 74(3 Pt 2) :036116.
- Chalmers, D. J. (1990). The evolution of learning : An experiment in genetic connectionism. In Touretsky, D. S., Elman, J. L., Sejnowski, T. J., et Hinton, G. E., editors, *Proceedings of the 1990 Connectionist Summer School*, pages 81–90. Morgan Kaufmann.
- Chance, F. S., Abbott, L. F., et Reyes, A. D. (2002). Gain modulation through background synaptic input. *Neuron*, 35 :773–782.
- Changeux, J. P. (1983). *L'homme neuronal*. Ed. Fayard, Paris.
- Chechik, G. (2003). Spike-timing-dependent plasticity and relevant mutual information maximization. *Neural Comp.*, 15 :1481–1510.
- Chklovskii, D. B., Mel, B. W., et Svoboda, K. (2004). Cortical rewiring and information storage. *Nature*, 431 :782–788.
- Chklovskii, D. B., Schikorski, T., et Stevens, C. F. (2002). Wiring optimization in cortical circuits. *Neuron*, 34 :341–347.
- Chung, S., Li, X., et Nelson, S. (2002). Short-term depression at thalamocortical synapses contributes to rapid adaptation of cortical sensory responses in vivo. *Neuron*, 34(3) :437–446.
- Clauset, A., Newman, M. E. J., et Moore, C. (2004). Finding community structure in very large networks. *Phys. Rev. E*, 70 :066111.
- Cliff, D., Harvey, I., et Husbands, P. (1993). Explorations in evolutionary robotics. *Adaptive Behavior*, 2 :73–110.
- Cohen, R. et Havlin, S. (2003). Scale-free networks are ultrasmall. *Phys. Rev. Lett.*, 90 :058701.
- Colizza, V., Barrat, A., Barthélemy, M., et Vespignani, A. (2006). Prediction and predictability of global epidemics : the role of the airline transportation network. *Proc. Natl. Aca. Sci. USA*, 103 :2015–2020.
- Colizza, V., Barthélemy, M., Barrat, A., A.-J. Valleron, et A. Vespignani (2007). Modeling the world-wide spread of pandemic influenza : Baseline case and containment interventions. *PLoS-Medicine*, 4(1) :e13.

- Corsi, P., Gayon, J., Gohau, G., et Tirard, S. (2006). *Lamarck, philosophe de la nature*. PUF, Paris.
- Cosmides, L. et Tooby, J. (1992). *The adapted mind*, chapter Cognitive adaptations for social exchange, pages 163–228. Oxford University Press, New York.
- Crick, F. et Koch, C. (1998). Constraints on cortical and thalamic projections : the no-strong-loops hypothesis. *Nature*, 391 :245–250.
- Cymbalyuk, G. S., Borisyuk, R. M., Mueller-Wilm, U., et Cruse, H. (1998). Oscillatory network controlling six-legged locomotion. : optimization of model parameters. *Neural Netw.*, 11(7-8) :1449–1460.
- Damasio, A. R. (1989). Time-locked multiregional retroactivation : a systems-level proposal for the neural substrates of recall and recognition. *Cognition*, 33(1-2) :25–62.
- Damasio, A. R. (1990). The brain binds entities and events by multiregional activation from convergence zones. *Neural Comp.*, 1(1) :123 – 132.
- Danon, L., Díaz-Guilera, A., Duch, J., et Arenas, A. (2005). Comparing community structure identification. *J. Stat. Mech.*, 9 :1–8.
- Darwin, C. (1859). *On the Origin of Species by Means of Natural Selection, or the Preservation of Favoured Races in the Struggle for Life*. John Murray, London, 1st edition edition.
- Daucé, E., Quoy, M., Cessac, B., et et M. Samuelides, B. D. (1998). Self-organization and dynamics reduction in recurrent networks : stimulus presentation and learning. *Neural Networks*, 11 :521–533.
- Dawkins, R. (1976). *The Selfish Gene*. Oxford University Press.
- Dawkins, R. (1986). *The Blind Watchmaker : Why the Evidence of Evolution Reveals a Universe Without Design*. W.W. Norton & Company.
- Dawkins, R. et Krebs, J. R. (1979). Arms races between and within species. *Proc. Royal Soc. of London. Series B, Bio. Sci.*, 205(1161) :489–511.
- deCharms, R. C., Blake, D. T., et Merzenich, M. M. (1998). Optimizing sound features for cortical neurons. *Science*, 280 :1439–1443.
- deCharms, R. C. et Merzenich, M. M. (1996). Primary cortical representation of sounds by the coordination of action-potential timing. *Nature*, 381 :610–613.
- Dehaene, S., Le Clec’h, G., Poline, J.-B., Le Bihan, D., et Laurent, C. (2002). The visual word form area : a prelexical representation of visual words in the fusiform gyrus. *Neuroreport*, 13(3) :321–325.
- Diesmann, M., Gewaltig, M.-O., et Aertsen, A. (1999). Conditions for stable propagation of synchronous spiking in cortical neural networks. *Nature*, 402 :529–533.
- Doesburg, S. M. M., Roggeveen, A. B. B., Kitajo, K., et Ward, L. M. M. (2007). Large-scale gamma-band phase synchronization and selective attention. *Cereb Cortex (in press)*.

- Dorogovtsev, S. N., Mendes, J. F. F., et Samukhin, A. N. (2001). Giant strongly connected component of directed networks. *Physical Review E*, 64 :025101(R).
- Drogoul, A. et Meyer, J.-A., editors (1999). *Intelligence Artificielle Située*. Hermès, Paris.
- Duda, R. et Hart, P. (1973). *Pattern Classification and Scene Analysis*. John Wiley and Sons.
- Duhamel, J. R., Colby, C. L., et Goldberg, M. E. (1998). Ventral intraparietal area of the macaque : congruent visual and somatic response properties. *J Neurophysiol*, 79 :126–136.
- Earl, M. G. et Strogatz, S. H. (2003). Synchronization in oscillator networks with delayed coupling : A stability criterion. *Phys. Rev. E*, 67 :036204.
- Edeline, J.-M. (1996). Does hebbian synaptic plasticity explain learning-induced sensory plasticity in adult mammals? *Journal of Physiology (Paris)*, 90 :271–276.
- Edeline, J.-M. (1999). Learning-induced physiological plasticity in the thalamo-cortical sensory system : A critical evaluation of receptive field plasticity and maps changes and their potential mechanisms. *Progress in Neurobiology*, 57 :165–224.
- Edelman, G. (1987). *Neural Darwinism : the theory of neuronal group selection*. , . Basic Books, New York.
- Eeckman, F. H. et Freeman, W. J. (1990). Correlations between unit firing and eeg in the rat olfactory system. *Brain Res.*, 528(2) :238–244.
- Eguíluz, V. M., Chialvo, D. R., Cecchi, G. A., Baliki, M., et Apkarian, A. V. (2005). Scale-Free Brain Functional Networks. *Physical Review Letters*, 94(1) :018102.
- Eiben, A. E. et Schoenauer, M. (2002). Evolutionary computing. *Information Processing Letters*, 82(1) :1–6.
- Elger, C. E., Widman, G., Andrzejak, R., Arnhold, J., David, P., et Lehnertz, K. (2000). Non-linear eeg analysis and its potential role in epileptology. *Epilepsia*, 41(s3) :S34–S38.
- Engel, A. K., Fries, P., et Singer, W. (2001). Dynamic predictions : oscillations and synchrony in top-down processing. *Nature Rev. Neurosci.*, 2 :704–716.
- Engel, A. K., König, P., et Singer, W. (1991a). Direct physiological evidence for scene segmentation by temporal coding. *Proc. Nat. Aca. Sci. USA*, 88 :9136–9140.
- Engel, A. K., König, P., Kreiter, A., et Singer, W. (1991b). Interhemispheric synchronization of oscillatory neuronal responses in cat visual cortex. *Science*, 252 :1177–1179.
- Erdős, P. et Rényi, A. (1960). On the evolution of random graphs. *Publ. Math. Inst. Hungarian Acad. Sci.*, 5 :17–61.
- Falchier, A., Clavagnier, S., Barone, P., et Kennedy, H. (2002). Anatomical evidence of multimodal integration in primate striate cortex. *J. Neuroscience*, 22(13) :5749–5759.
- Farkas, I., Jeong, H., Vicsek, T., Barabási, A. L., et Oltvai, Z. N. (2003). The topology of the transcription regulatory network in the yeast, *saccharomyces cerevisiae*. *Physica A*, 318(3-4) :601–612.

- Faure, P. et Korn, H. (2004). Is there chaos in the brain ? I. Concepts of nonlinear dynamics and methods of investigation. *Comptes rendus. Biologies*, 327(9) :773–793.
- Felleman, D. J. et Essen, D. C. V. (1991). Distributed hierarchical processing in the primate cerebral cortex. *Cereb. Cortex*, 1 :1–47.
- Filliat, D., Kodjabachian, J., et Meyer, J.-A. (1999). Evolution of neural controllers for locomotion and obstacle-avoidance in a 6-legged robot. *Connection Science*, 11 :223–240.
- Fisher, J. et Hinde, R. (1949). The opening of milk bottles by birds. *British Birds*, 42 :347–357.
- Floreano, D. (1997). *Ago Ergo Sum*, chapter Evolving Consciousness. Benjamins Press.
- Floreano, D., Mitri, S., Magnenat, S., et Keller, L. (2007). Evolutionary conditions for the emergence of communication in robots. *Current Biology*, 17 :514–519.
- Floreano, D. et Urzelai, J. (2000). Evolutionary robots with on-line self-organization and behavioral fitness. *Neural Networks*, 13 :431–443.
- Fodor, J. et Pylyshyn, Z. (1988). Connectionism and cognitive architecture : A critical analysis. *Cognition*, 28 :3–71.
- Fodor, J. A. (1983). *The Modularity of Mind : An Essay on Faculty Psychology*. MIT Press, Cambridge USA.
- Fortunato, S., Latora, V., et Marchiori, M. (2004). Method to find community structures based on information centrality. *Phys. Rev. E*, 70 :056104.
- Fox-Keller, E. (2005). Revisiting “ scale-free” networks. *BioEssays*, 27(10) :1060 – 1068.
- Franowicz, M. N. et Barth, D. S. (1995). Comparison of evoked potentials and high-frequency (gamma-band) oscillating potentials in rat auditory cortex. *Journal of Neurophysiology*, 74(1) :96–112.
- Freeman, W. J. (1987). Simulation of chaotic EEG patterns with a dynamic model of the olfactory system. *Biol. Cybern.*, 56 :139–150.
- Freeman, W. J. (1994). Role of chaotic dynamics in neural plasticity. *Prog. Brain Res.*, 102 :319–333.
- Friedrich, R. W., Habermann, C. J., et Laurent, G. (2004). Multiplexing using synchrony in the zebrafish olfactory bulb. *Nat. Neurosci.*, 7(8) :862–871.
- Fries, P., Neuenschwander, S., Engel, A. K., Goebel, R., et Singer, W. (2001). Rapid feature selective neuronal synchronization through correlated latency shifting. *Nature Neurosci.*, 4 :194 – 200.
- Fries, P., Roelfsema, P. R., Engel, A. K., Konig, P., et Singer, W. (1997). Synchronization of oscillatory responses in visual cortex correlates with perception in interocular rivalry. *Proc. Natl. Acad. Sci. USA*, 94 :12699–12704.
- Fujii, H., Itoa, H., Aihara, K., Ichinose, N., et Tsukada, M. (1996). Dynamical cell assembly hypothesis : Theoretical possibility of spatio-temporal coding in the cortex. *Neural Networks*, 9(8) :1303–1350.

- Galán, R. F., Fourcaud-Trocmé, N., Ermentrout, G. B., et Nathaniel N. Urban, . (2006). Correlation-induced synchronization of oscillations in olfactory bulb neurons. *J. Neurosci.*, 26(14) :3646–3655.
- Gerstner, W., Kempter, R., van Hemmen, J. L., et Wagner, H. (1996). A neuronal learning rule for sub-millisecond temporal coding. *Nature*, 383 :76–81.
- Gerstner, W. et Kistler, W. (2002). *Spiking Neuron Models : Single Neurons, Populations, Plasticity*. Cambridge Univ. Press, Cambridge UK.
- Gerstner, W. et van Hemmen, J. L. (1992). Associative memory in a network of 'spiking' neurons. *Network : Computation in Neural Systems*, 3(2) :139–164.
- Gill, P. E. et Murray, W. (1978). Algorithms for the solution of the nonlinear least-squares problem. *SIAM J. Numer. Anal.*, 15(5) :977–992.
- Girvan, M. et Newman, M. (2002). Community structure in social and biological networks. *Proc. Natl. Acad. Sci. U.S.A.*, 99(12) :7821–7826.
- Gleiser, P. et Danon, L. (2003). Community structure in jazz. *Advances in Complex Systems*, 6(4) :565–573.
- Goldberg, D. (1989). *Genetic algorithms in search, optimization, and machine learning*. Addison-Wesley, Boston.
- Gouzé, J.-L. (1998). Positive and negative circuits in dynamical systems. *Journal Biol. Syst.*, 6 :11–15.
- Grammont, F. et Riehle, A. (2003). Spike synchronization and firing rate in a population of motor cortical neurons in relation to movement direction and reaction time. *Biological Cybernetics*, 88(5) :360–373.
- Grand, P. (2007). Etude de la connectivité dans un réseau de neurones temporels. Master's thesis, Master 2 de Sciences Cognitives, Université Lumière Lyon 2.
- Gray, C. M. (1999). The temporal correlation hypothesis of visual feature integration : still alive and well. *Neuron*, 24 :31–47.
- Gray, C. M. et Singer, W. (1989). Stimulus specific neuronal oscillations in orientation columns of cat visual cortex. *Proc. Natl. Acad. Sci. USA*, 86 :1698–1702.
- Grinvald, A., Arieli, A., Tsodyks, M., et Kenet, T. (2003). Neuronal assemblies : Single cortical neurons are obedient members of a huge orchestra. *Biopolymers*, 68(3) :422 – 436.
- Gross, C. G. (2002). Genealogy of the “grandmother cell”. *The Neuroscientist*, 8(5) :512–518.
- Gross, J. et Yellen, J. (2005). *Graph Theory and Its Applications*. CRC Press, Boca Raton, FL, 2nd edition.
- Gruau, F. (1995). Automatic definition of modular neural networks. *Adaptive Behaviour*, 3(2) :151–183.
- Gruber, T. et Müller, M. M. (2005). Oscillatory brain activity dissociates between associative stimulus content in a repetition priming task in the human EEG. *Cereb. Cortex*, 15 :109–116.

- Guillot, A. et Daucé, E., editors (2002). *Approche dynamique de la cognition artificielle*. Lavoisier, Paris.
- Guillot, A. et Meyer, J.-A. (1998). *Cyber Worlds*, chapter Synthetic Animals in Synthetic Worlds, pages 111–123. Springer-Verlag, Tokyo.
- Guimerà, R. et Amaral, L. (2005). Cartography of complex networks : modules and universal roles. *J. Stat. Mech. : Theory Exp.*, pages 1–13.
- Guimerà, R., Sales-Pardo, M., et Amaral, L. (2004). Modularity from fluctuations in random graphs and complex networks. *Phys. Rev. E*, 70 :025101.
- Han, S., He, X., Yund, W., et Woods, D. L. (2001). Attentional selection in the processing of hierarchical patterns : an ERP study. *Biol. Psychol.*, 56 :113–130.
- Hansel, D., Mato, G., et Meunier, C. (1995). Synchronization in excitatory neural networks. *Neural Computation*, 7 :307–337.
- Harp, S., Samad, T., et Guha, A. (1989). Towards the genetic synthesis of neural networks. In *Proc. of 3rd ICGA*, pages 360–369, George Mason University.
- Hartwell, L. H., Hopfield, J. J., Leibler, S., et Murray, A. W. (1999). From molecular to modular cell biology. *Nature*, 402 :C47 – C52.
- Harvey, I., Husbands, P., Cliff, D., Thompson, A., et Jakobi, N. (1997). Evolutionary robotics : the sussex approach. *Robotics and Autonomous Systems*, 20(2-4) :205–224.
- He, Y., Chen, Z. J. J., et Evans, A. C. C. (2007). Small-world anatomical networks in the human brain revealed by cortical thickness from MRI. *Cereb Cortex*, 10 :149–162.
- Hebb, D. O. (1949). *The organisation of behaviour : a neurophysiological theory*. Wiley, New York.
- Hendin, O., Horn, D., et Tsodyks, M. (1998). Associative memory and segmentation in an oscillatory neural model of the olfactory bulb. *J. Comp. Neurosci.*, 5(2) :157–169.
- Herrmann, C. S. et Demiralp, T. (2005). Human eeg gamma oscillations in neuropsychiatric disorders. *Clin. neurophysiol.*
- Hertz, J. et Prügel-Bennett, A. (1996). Learning short synfire chains by self-organization. *Network : Computation in Neural Systems*, 7(2).
- Hilgetag, C.-C., Burns, G. A. P. C., O’Neill, M. A., et Scannell, J. W. (2000). Anatomical connectivity defines the organization of clusters of cortical areas in the macaque and the cat. *Philos. Trans R. Soc. Lond. B : Biol. Sci.*, 355(1393) :91–110.
- Hindmarsch, J. et Rose, R. M. (1984). A model of neuronal bursting using three coupled first order differential equations. *Philos. Trans R. Soc. Lond. B : Biol. Sci.*, 221 :87–102.
- Hinton, G. E. et Nowlan, S. J. (1987). How learning can guide evolution. *Complex Systems*, 1 :495–502.
- Hodgkin, A. L. et Huxley, A. F. (1952a). Currents carried by sodium and potassium. *J. Physiol.*, 116 :449–472.

- Hodgkin, A. L. et Huxley, A. F. (1952b). Ions through the membrane of the giant axon of loligo. *J. Physiol.*, 116 :473–496.
- Holland, J. H. (1975). *Adaptation in Natural and Artificial Systems*. University of Michigan Press, Ann Arbor, MI.
- Hong, H., Choi, M. Y., et Kim, B. J. (2002). Synchronization on small-world networks. *Physical Review E*, 65 :026139.
- Hopfield, J. J. (1982). Neural networks and physical systems with emergent collective computational abilities. *Proc. Nat. Acad. Sci. USA*, 79(8) :2554–2558.
- Hopfield, J. J. (1984). Neurons with graded response have collective computational properties like those of two-state neurons. *Proc. Nat. Acad. Sci. USA*, 81(10) :3088–3092.
- Hopfield, J. J. et Brody, C. D. (2000). What is a moment ? ”Cortical” sensory integration over a brief interval. *Proc. Nat. Acad. Sci. USA*.
- Hopfield, J. J. et Brody, C. D. (2001). What is a moment ? Transient synchrony as a collective mechanism for spatiotemporal integration. *Proc. Nat. Acad. Sci. USA*, 98(3) :1282–1287.
- Hubel, D. H. et Wiesel, T. N. (1962). Receptive fields, binocular interaction and functional architecture in the cat’s visual cortex. *J Physiol*, 160 :106–154.
- Huetz, C., Del Negro, C., Lebas, N., Tarroux, P., et Edeline, J.-M. (2006). Contribution of spike timing to the information transmitted by hvc neurons. *European Journal of Neuroscience*, 24(4) :1091–1108.
- Huetz, C., Del Negro, C., Lehongre, K., Tarroux, P., et Edeline, J.-M. (2004). The selectivity of canary hvc neurons for the bird’s own song : rate coding, temporal coding, or both ? *Journal of Physiology - Paris*, 98(4-6) :395–406.
- Husbands, P., Harvey, I., Cliff, D., et Miller, G. F. (1997). Artificial evolution : A new path for artificial intelligence ? *Brain and Cognition*, 34 :130–159.
- Huxter, J., Burgess, N., et O’Keefe, J. (2003). Independent rate and temporal coding in hippocampal pyramidal cells. *Nature*, 425 :828–832.
- Ito, M. (1989). Long term depression. *Annual review in Neuroscience*.
- Ito, M., Sakurai, M., et Tongroach, P. (1982). Climbing fibre induced depression of both mossy fibre responsiveness and glutamate sensitivity of cerebellar purkinje cells. *Journal of Physiology - London*.
- Izhikevich, E. M. (2004). Which model to use for cortical spiking neurons ? *IEEE Trans Neural Netw*, 155 :1063–1070.
- Izhikevich, E. M. (2006). Polychronization : Computation with spikes. *Neural Comp.*, 18(2) :245–282.
- Izhikevich, E. M. et Desai, N. S. (2003). Relating STDP to BCM. *Neural Comp.*, 15 :1511–1523.
- Izhikevich, E. M., Gally, J. A., et Edelman, G. M. (2004). Spike-timing dynamics of neuronal groups. *Cereb. Cortex*, 14(8) :933–944.

- Jaeger, H. et Haas, H. (2004). Harnessing nonlinearity : Predicting chaotic systems and saving energy in wireless communication. *Science*, 304(5667) :78 – 80.
- Jeffery, J. G. R., Traub, R. D., et Whittington, M. A. (1996). Neuronal networks for induced “40 hz” rhythms. *Trends Neurosci.*, 19 :202–208.
- Jeong, H., Tombor, B., Albert, R., Oltvai, Z. N., et Barabasi, A. L. (2000). The large-scale organization of metabolic networks. *Nature*, 407 :651–654.
- Kaiser, J., Hertrich, I., Ackermann, H., Mathiak, K., et Lutzenberger, W. (2005). Hearing lips : Gamma-band activity during audiovisual speech perception. *Cerebral Cortex*, 15(5) :646–653.
- Karbowski, J. (2001). Optimal wiring principle and plateaus in the degree of separation for cortical neurons. *Phys. Rev. Lett.*, 86(16) :3674–3677.
- Karbowski, J. (2003). How does connectivity between cortical areas depend on brain size ? implications for efficient computation. *Journal of Computational Neuroscience*, 15(3) :347–356.
- Karbowski, J. et Kopell, N. (2000). Multispikes and synchronization in a large neural network with temporal delays. *Neural Computation*, 12(7) :1573–1606.
- Kashtan, N. et Alon, U. (2005). Spontaneous evolution of modularity and network motifs. *Proc. Natl. Acad. Sci. USA*, 102(39) :13773–13778.
- Kay, L. M. (2003). A challenge to chaotic itinerancy from brain dynamics. *Chaos*, 13(3) :1057–1066.
- Keil, A., Muller, M. M., Ray, W. J., Gruber, T., et Elbert, T. (1999). Human gamma band activity and perception of a gestalt. *J. Neurosci.*, 19(16) :7152–7161.
- Kempter, R., Gerstner, W., et van Hemmen, J. L. (1999). Hebbian learning and spiking neurons. *Phys. Rev. E*, 59(4) :4498–4514.
- Kepecs, A., van Rossum, M. C., Song, S., et Tegner, J. (2002). Spike-timing-dependent plasticity : common themes and divergent vistas. *Biol. Cybern.*
- Kinnebrock, W. (1994). Accelerating the standard backpropagation method using a genetic approach. *Neurocomputing*.
- Kitano, H. (1990a). Designing neural networks using genetic algorithms with graph generation system. *Complex Systems*, 4(4) :461–476.
- Kitano, H. (1990b). Empirical studies on the speed of convergence of neural network training using genetic algorithms. In *Proc 8th Nat Conf AI (AAAI 90)*, pages 789–795, Cambridge MA. MIT Press.
- Koch et Laurent (1999). Complexity and the nervous system. *Science*, 284 :96–98.
- Kohonen, T. (1982). Self-organized formation of topologically correct feature maps. *Biological Cybernetics*.
- Konig, P., Engel, A. K., et Singer, W. (1996). Temporal integrator or coincidence detector ? The role of the cortical neuron revisited. *Trends Neurosci.*, 19(4) :130–137.

- Kopell, N., Ermentrout, G. B., Whittington, M. A., et Traub, R. D. (2000). Gamma rhythms and beta rhythms have different synchronization properties. *Proc. Natl. Acad. Sci. USA*, 97(4) :1867–1872.
- Korn, H. et Faure, P. (2003). Is there chaos in the brain ? II. Experimental evidence and related models. *Comptes rendus. Biologies*, 326(9) :787–840.
- Kosslyn, S. M. et Koenig, O. (1992). *Wet Mind : The New Cognitive Neuroscience*. Free Press.
- Koza, J. R. (1992). *Genetic Programming : On the Programming of Computers by Means of Natural Selection*. MIT Press, Cambridge USA.
- Krichmar, J. L. et Edelman, G. M. (2002). Machine psychology : Autonomous behavior, perceptual categorization and conditioning in a brain-based device. *Cerebral Cortex*.
- Kruger, J. et Aiple, F. (1988). Multielectrode investigation of monkey striate cortex : spike train correlations in the infragranular layers. *J. Neurophysiol.*, 60 :798–828.
- Kuramoto, Y. (1984). *Chemical Oscillations, Waves, and Turbulence*. Springer-Verlag, New York.
- Kwok, H. F., Jurica, P., Raffone, A., et van Leeuwen, C. (2007). Robust emergence of small-world structure in networks of spiking neurons. *Journal Cognitive Neurodynamics*, 1(1) :39–51.
- Kwon, J. S., O'Donnell, B. F., Wallenstein, G. V., Greene, R. W., Hirayasu, Y., Nestor, P. G., Hasselmo, M. E., Potts, G. F., Shenton, M. E., et McCarley, R. W. (1999). Gamma frequency-range abnormalities to auditory stimulation in schizophrenia. *Arch Gen Psychiatry*, 56(11) :1001–1005.
- Köhler, W. (1929). *Psychologie de la forme*. Gallimard (collection "idées"), édition française 1964, Paris.
- Lachaux, J.-P., George, N., Tallon-Baudry, C., Martinerie, J., Hugueville, L., Minotti, L., Kahane, P., et Renault, B. (2005). The many faces of the gamma band response to complex visual stimuli. *NeuroImage*, 25(2) :491–501.
- Lachaux, J.-P., Rodriguez, E., Martinerie, J., et Varela, F. J. (1999). Measuring phase synchrony in brain signals. *Human Brain Mapping*, 8(4) :194 – 208.
- Lago-Fernandez, L. F., Huerta, R., Corbacho, F., et Sigüenza, J. (2000). Fast response and temporal coherent oscillations in small-world networks. *Phys. Rev. Letters*.
- Lakatos, P., Chen, C.-M., O'connell, M. N., Mills, A., et Schroeder, C. E. (2007). Neuronal oscillations and multisensory interaction in primary auditory cortex. *Neuron*, 53(2) :279–292.
- Lapicque, L. (1907). Recherches quantitatives sur l'excitation électrique des nerfs traitée comme une polarisation. *J. Physiol. Pathol. Gen.*, pages 620–635.
- Larkum, M. E., Rioult, M. G., et Luscher, H. R. (1996). Propagation of action potentials in the dendrites of neurons from rat spinal cord slice cultures. *J. Neurophysiol.*, 75(1) :154–170.
- Lashley, K. (1950). In search of the engram. In *Symposia of the Society for Experimental Biology*, volume 4, pages 454–482.

- Latora, V. et Marchiori, M. (2001). Efficient behavior of small-world networks. *Phys. Rev. Lett.*, 87(19) :198701.
- Laub, C. et Kuhl, T. L. (2005). How bad is good? a critical look at the fitting of reflectivity models using the reduced chi-square statistic. In *Science Poster Abstracts, SNS-HFIR User Meeting*, Oak Ridge, TN, USA.
- Laurent, G. (1996). Dynamical representation of odors by oscillating and evolving neural assemblies. *Trends Neurosci.*
- Laurent, G. et Davidowitz, H. (1994). Encoding of olfactory information with oscillating neural assemblies. *Science*.
- Laurent, G., Stopfer, M., Friedrich, R., Rabinovich, M. I., Volkovskii, A., et Abarbanel, H. D. I. (2001). Odor encoding as an active, dynamical process : Experiments, computation and theory. *Annu. Rev. Neurosci.*, 24(263-297).
- Lawson, A. E. (2002). The origin of conditional logic : does a cheater detection module exist? *J Genet Psychol.*
- Lengyel, M., Szatmáry, Z., et Erdi, P. (2003). Dynamically detuned oscillations account for the coupled rate and temporal code of place cell firing. *Hippocampus*, 13(6) :700–714.
- Levenberg, K. (1944). A method for the solution of certain problems in least squares. *Quart. Appl. Math.*, 2 :164–168.
- Liljeros, F., Edling, C. R., Nunez-Amaral, L. A., Stanley, H. E., et Aberg, Y. (2001). The web of human sexual contacts. *Nature*, 411(6840) :907–908.
- Llinas, R. R., Grace, A. A., et Y, Y. (1991). In vitro neurons in mammalian cortical layer 4 exhibit intrinsic oscillatory activity in the 10 50 hz frequency range. *Proc Natl Acad Sci USA*, 88 :897–901.
- Lumer, E., Edelman, G., et Tononi, G. (1997a). Neural dynamics in a model of the thalamocortical system I. Layers, loops and the emergence of fast synchronous rhythms. *Cereb. Cortex*, 7 :207–227.
- Lumer, E., Edelman, G., et Tononi, G. (1997b). Neural dynamics in a model of the thalamocortical system II. The role of neural synchrony tested through perturbations of spike timings. *Cereb. Cortex*, 7 :228–236.
- Lytton, W. W. et Sejnowski, T. J. (1991). Simulations of cortical pyramidal neurons synchronized by inhibitory interneurons. *J. Neurophysiol*, 66 :1059–1079.
- Ma, H.-W. et Zeng, A.-P. (2003). The connectivity structure, giant strong component and centrality of metabolic networks. *Bioinformatics*, 19(11) :1423–1430.
- Maass, W. (1997a). Fast sigmoidal networks via spiking neurons. *Neural Computation*, 9(2) :279–304.
- Maass, W. (1997b). Networks of spiking neurons : the third generation of neural network models. *Neural Netw.*, 10 :1659–1671.

- Maass, W. (2000). On the computational power of winner-take-all. *Neural Computation*, 12(11) :2519–2536.
- Maass, W., Natschläger, T., et Markram, H. (2002). Real-time computing without stable states : A new framework for neural computation based on perturbations. *Neural Comp.*, 14 :2531–2560.
- MacDonald, K. D. et Barth, D. S. (1995). High frequency (gamma-band) oscillating potentials in rat somatosensory and auditory cortex. *Brain Research*, 694(1-2) :1–12.
- Magee, J. C. et Johnston, D. (1997). A synaptically controlled, associative signal for hebbian plasticity in hippocampal neurons. *Science*, 275(5297) :209–213.
- Mainen, Z. et Sejnowski, T. (1995). Reliability of spike timing in neocortical neurons. *Science*.
- Marchiori, M. et Latora, V. (2000). Harmony in the small-world. *Physica A*.
- Markram, H., Helm, P. J., et Sakmann, B. (1995). Dendritic calcium transients evoked by single back-propagating action potentials in rat neocortical pyramidal neurons. *J Physiol.*, 485(Pt 1) :1–20.
- Markram, H., Lubke, J., Frotscher, M., et Sakmann, B. (1997). Regulation of synaptic efficacy by coincidence of postsynaptic APs and EPSPs. *Science*, 275 :213–215.
- Markram, H., Wang, Y., et Tsodyks, M. (1998). Differential signaling via the same axon of neocortical pyramidal neurons. *Proc. Natl. Acad. Sci. USA*, 95(9) :5323–5328.
- Marquardt, D. (1963). An algorithm for least-squares estimation of nonlinear parameters. *SIAM J. Appl. Math.*, 11 :431–441.
- Martin, C., Gervais, R., Hugues, E., Belkacem, M., et Ravel, N. (2004). Learning modulation of odor-induced oscillatory responses in the rat olfactory bulb : A correlate of odor recognition ? *J. Neurosci.*, 24 :389–397.
- Masuda, N. et Aihara, K. (2004). Global and local synchrony of coupled neurons in small-world networks. *Biological Cybernetics*, 90(4) :302–309.
- Mayley, G. (1997). Guiding or hiding : Explorations into the effects of learning on the rate of evolution. In Husbands, P. et Harvey, I., editors, *Fourth European Conference on Artificial Life*, Cambridge, MA. MIT Press.
- Maynard Smith, J. (1987). When learning guides evolution. *Nature*, 329(761-762).
- Mayr, E. et Provine, W. B., editors (1980). *The Evolutionary Synthesis : Perspectives on the Unification of Biology*. Harvard University Press.
- McCloskey, M. (1983). *Mental Models*, chapter Naive Theories of Motion, pages 299–324. Lawrence Erlbaum Associates, Hillsdale.
- McCulloch, W. S. et Pitts, W. (1943). A logical calculus of the ideas immanent in neuron activity. *Bulletin of Mathematical Biophysics*, 5(4) :115–133.
- Meunier, D. (2006). Emergence de bandes de fréquences dans un réseau de neurones impulsionnels. In Alexandre, F., Boniface, Y., Bougrain, L., Giraud, B., et Rougier, N., editors, *Proc. of NeuroComp’06*, pages 183–186, Pont-à-Mousson, France.

- Meunier, D., Martinez, R., et Paugam-Moisy, H. (2006). Assemblées temporelles dans les réseaux de neurones impulsionnels. In Alexandre, F., Boniface, Y., Bougrain, L., Giraud, B., et Rougier, N., editors, *Proc. of NeuroComp'06*, pages 187–190, Pont-à-Mousson, France.
- Meunier, D. et Paugam-Moisy, H. (2005). Evolutionary supervision of a dynamical neural network allows learning with on-going weights. In *Proc. of IJCNN'05*, pages 1493–1498, Montréal, Canada.
- Meunier, D. et Paugam-Moisy, H. (2006). Cluster detection algorithm in neural networks. In Verleysen, M., editor, *Proc. of 14th ESANN*, pages 19–24, Bruges, Belgique.
- Meyer, J.-A. (1997). From natural to artificial life : Biomimetic mechanisms in animat designs. *Robotics and Autonomous Systems*, 22 :3–21.
- Meyer, J.-A., Guillot, A., Girard, B., Khamassi, M., Pirim, P., et Berthoz, A. (2005). The psikharpax project : towards building an artificial rat. *Robotics and Autonomous Systems*, 50(4) :211–223.
- Micheloyannis, S., Pachou, E., Stam, C., Breakspear, M., Bitsios, P., Vourkas, M., Erimaki, S., et Zervakis, M. (2006). Small-world networks and disturbed functional connectivity in schizophrenia. *Schizophrenia Research*, 87(1-3) :60–66.
- Milgram, S. (1967). The small world problem. *Psychology Today*, 1 :61.
- Millikan, R. (1996). Pushmi-pullyu representations. In Tomberlin, J., editor, *Philosophical Perspectives*, volume IX, pages 185–200, Atascadero CA.
- Milner, P. M. (1957). The cell assembly : Mark II. *Psychological Review*, 64 :242–252.
- Milner, P. M. (1996). Neural representations : Some old problems revisited. *Journal of Cognitive Neuroscience*.
- Mirollo, R. E. et Strogatz, S. H. (1990). Synchronization of pulse-coupled biological oscillators. *SIAM J. Appl. Math.*, 50.
- Monod, J. (1970). *Le Hasard et la nécessité*. Le Seuil.
- Morelli, L., Abramson, G., et Kuperman, M. (2004). Associative memory on a small-world neural network. *The European Physical Journal B - Condensed Matter*, 38(3) :495–500.
- Morgan, T. H., Sturtevant, A. H., Muller, H. J., et Bridges, C. B. (1915). *The Mechanism of Mendelian Heredity*. Holt Rinehart and Winston, New York.
- Mormann, F., Lehnertz, K., David, P., et Elger, C. E. (2000). Mean phase coherence as a measure for phase synchronization and its application to the eeg of epilepsy patients. *Physica D*.
- Morrison, A., Aertsen, A., et Diesmann, M. (2007). Spike-timing-dependent plasticity in balanced random networks. *Neural Comp.*, 19 :1437–1467.
- Motter, A. E., Zhou, C., et Kurths, J. (2005). Enhancing complex-network synchronization. *Europhysics Letters*, 69 :334–340.
- Mountcastle, V. B. (1997). The columnar organization of the neocortex. *Brain*.

- Mouret, J.-B., Doncieux, S., et Meyer, J.-A. (2006). Incremental evolution of target-following neuro-controllers for flapping-wing animats. In Nolfi, S., Baldassare, G., Calabretta, R., Hallam, J., Marocco, D., Meyer, J.-A., Miglino, O., et Parisi, D., editors, *Proc of SAB'06*, pages 606–618, Rome, Italy.
- Neuenschwander, S. et Singer, W. (1996). Long-range synchronization of oscillatory light responses in the cat retina and lateral geniculate nucleus. *Nature*, 379 :728–732.
- Newman, M. (2003). The structure and function of complex networks. *SIAM Rev.*, 45 :167–256.
- Newman, M. E. J. (2001). The structure of scientific collaboration networks. *Proc. Natl. Acad. Sci. USA*, 98 :404–409.
- Newman, M. E. J. (2004). Fast algorithm for detecting community structure in networks. *Phys. Rev. E*, 69 :066133.
- Newman, M. E. J. (2006). Finding community structure in networks using the eigenvectors of matrices. *Phys. Rev. E*, 74(036104).
- Newman, M. E. J., Forrest, S., et Balthrop, J. (2002). Email networks and the spread of computer viruses. *Phys. Rev. E*, 66(3) :035101.
- Newman, M. E. J. et Girvan, M. (2004). Finding and evaluating community structure in networks. *Phys. Rev. E*, 69 :026113.
- Newman, M. E. J., Moore, C., et Watts, D. J. (2000). Mean-field solution of the small-world network model. *Physical Review Letters*, 84 :3201–3204.
- Newman, M. E. J., Strogatz, S. H., et Watts, D. J. (2001). Random graphs with arbitrary degree distributions and their applications. *Phys. Rev. E*, 64 :026118.
- Nolfi, S. et Floreano, D. (1998). Coevolving predator and prey robots : Do “arms races” arise in artificial evolution ? *Artificial Life*, 4(4) :311–335.
- Nowak, L. G. et Bullier, J. (1997). The timing of information transfer in the monkey temporal cortex. In Kass, J., Rocklund, K., et Peters, A., editors, *Extrastriate cortex in primates*, pages 205–241, New York. Plenum Press.
- Nowotny, T., Zigulin, V. P., Selverston, A. I., Abarbanel, H. D. I., et Rabinovitch, M. I. (2003). Enhancement of synchronization in a hybrid neural circuit by spike-timing dependent plasticity. *J. Neurosci.*, 23(30) :9776–9785.
- Nuutila, E. et Soisalon-Soininen, E. (1994). On finding the strongly connected components in a directed graph. *Information Processing Letters*, 49(1) :9–14.
- O’Keefe et Recce (1993). Phase relationship between hippocampal. place units and the eeg theta rhythm. *Hippocampus*, 3 :317–330.
- O’Keefe, J. et Dostrovsky, J. (1971). The hippocampus as a spatial map. Preliminary evidence from unit activity in the freely moving rat. *Brain Res.*, 34 :171–175.
- Paley, W. (1802). *Natural Theology*. Auto-publication, London.

- Pastor-Satorras, R., Vázquez, A., et Vespignani, A. (2001). Dynamical and correlation properties of the internet. *Phys. Rev. Lett.*, 87(25) :258701.
- Pastor-Satorras, R. et Vespignani, A. (2001). Epidemic spreading in scale-free networks. *Phys. Rev. Lett.*, 86(14) :3200–3203.
- Pastor-Satorras, R. et Vespignani, A. (2002). *Handbook of Graphs and Networks : From the Genome to the Internet*, chapter Epidemics and immunization in scale-free networks. Wiley-VCH, Berlin.
- Pastor-Satorras, R. et Vespignani, A. (2004). *Internet : Structure et évolution*. Belin, Paris.
- Paugam-Moisy, H. (1995). How to make good use of multilayer neural networks. *Journal of Biological Systems*, 3(4) :1177–1191.
- Paugam-Moisy, H., Martinez, R., et Bengio, S. (2007). A supervised learning approach based on stdp and polychronization in spiking neuron networks. In Verleysen, M., editor, *ESANN'2007*, pages 427–432.
- Pecora, L. et Barahona, M. (2005). Synchronization of oscillators in complex networks. *Chaos and Complexity Letters*.
- Pfister, J.-P. et Gerstner, W. (2006). Triplets of spikes in a model of spike timing-dependent plasticity. *J Neurosci*.
- Poli, R. et Langdon, W. (1997). An experimental analysis of schema creation, propagation and disruption in genetic programming. In Bäck, T., editor, *Proc. of ICGA97*, pages 18–25, San Francisco, CA. Morgan Kaufmann.
- Psujek, S., Ames, J., et Beer, R. D. (2006). Connection and coordination : The interplay between architecture and dynamics in evolved model pattern generators. *Neural Computation*, 18 :729–747.
- Quiroga, R. Q., Reddy, L., Kreiman, G., Koch, C., et Fried, I. (2005). Invariant visual representation by single-neurons in the human brain. *Nature*, 435 :1102–1107.
- Radicchi, F., Castellano, C., Cecconi, F., Loreto, V., et Parisi, D. (2004). Defining and identifying communities in networks. *Proc. Natl. Acad. Sci. USA*.
- Raffone, A. et van Leeuwen, C. (2001). Chaos and neural coding : Is the binding problem a pseudo-problem ? *Behavioral and Brain Sciences*, 24(5) :826–827.
- Raffone, A. et van Leeuwen, C. (2003). Dynamic synchronization and chaos in an associative neural network with multiple active memories. *Chaos*, 13 :1090–1104.
- Ramon y Cajal, S. (1911). *Histologie du systeme nerveux de l'homme et des vertebres*. Maloine, Paris.
- Rao, R. P. N. et Sejnowski, T. J. (2001). Spike-timing-dependent hebbian plasticity as temporal difference learning. *Neural Computation*, 13(10) :2221–2237.
- Redner, S. (1998). How popular is your paper ? An empirical study of the citation distribution. *Eur. Phys. Jour. B*, 4(2) :131–134.

- Remy, É. et Ruet, P. (2006). On differentiation and homeostatic behaviours of boolean dynamical systems. *Transactions on Computational Systems Biology VII, LNCS*, 4230 :153–162.
- Reynaud, E. (2002). *Modélisation connexionniste d’une mémoire associative multimodale*. PhD thesis, Thèse de Sciences Cognitives de l’INPG, Grenoble.
- Reynaud, E. et Puzenat, D. (2001). A multisensory identification system for robotics. In *IJCNN’2001, Int. Joint Conf. on Neural Networks*, pages 2924–2929.
- Rodriguez, E., George, N., Lachaux, J. P., Martinerie, J., Renault, B., et Varela, F. (1999). Perception’s shadow : long-distance synchronization in the human brain activity. *Nature*, 397 :430–433.
- Roelfsema, P. R., Engel, A. K., Konig, P., et Singer, W. (1997). Visuomotor integration is associated with zero time-lag synchronization among cortical areas. *Nature*, 385 :157–161.
- Rolls, E. T. et Tovee, M. J. (1995). Sparseness of the neuronal representation of stimuli in the primate temporal visual cortex. *J. Neurophysiol*, 73 :713–726.
- Rols, G., Tallon-Baudry, C., Girard, P., Bertrand, O., et Bullier, J. (2001). Cortical mapping of gamma oscillations in areas v1 and v4 of the macaque monkey. *Visual Neuroscience*, 18 :527–540.
- Rosenblatt, F. (1958). The perceptron : A probabilistic model for information storage and organization in the brain. *Psychological Review*.
- Rowat, P. (2007). Interspike interval statistics in the stochastic hodgkin-huxley model : Coexistence of gamma frequency bursts and highly irregular firing. *Neural Comp*, 19(5) :1215–1250.
- Rubin, J., Lee, D. D., et Sompolinski, H. (2001). Equilibrium properties of temporally asymmetric hebbian plasticity. *Phys. Rev. Lett.*, 86 :364–367.
- Rumelhart, D. E. et Mc Clelland, J. L. (1986). *Parallel Distributed Processing : Exploration in the MicroStructure of Cognition*. MIT Press, Cambridge USA.
- Sakowitz, O. W., Quiroga, R. Q., Schürmann, M., et Basar, E. (2001). Bisensory stimulation increases gamma-responses over multiple cortical regions. *Cognitive Brain Research*, 11 :267–279.
- Samuels, R. (1998). Evolutionary psychology and the massive modularity hypothesis. *The British Journal for the Philosophy of Science*, 49(4) :575–602.
- Sasaki, T. et Tokoro, M. (2000). Comparison between lamarckian and darwinian evolution on a model using neural networks and genetic algorithms. *Knowledge and Information Systems*, 2(2) :201–222.
- Sato, N. et Yamaguchi, Y. (2003). Memory encoding by theta phase precession in the hippocampal network. *Neural Comp.*, 15(10) :2379–2397.
- Sato, N. et Yamaguchi, Y. (2005). Online formation of a hierarchical cognitive map for object-place association by theta phase coding. *Hippocampus*, 15(7) :963–978.

- Scannell, J. W., Burns, G. A. P. C., Hilgetag, C. C., O'Neil, M. A., et Young, M. P. (1999). The connectional organization of the cortico-thalamic system of the cat. *Cerebral Cortex*, 9(3) :277–299.
- Schneider, G. et Nikolic, D. (2006). Detection and assessment of near-zero delays in neuronal spiking activity. *J Neurosci Methods*, 152(1-2) :97–106.
- Schoffelen, J. M., Oostenveld, R., et Fries, P. (2005). Neuronal coherence as a mechanism of effective corticospinal interaction. *Science*, 308 :111–113.
- Schrauwen, B., Verstraeten, D., et van Campenhout, J. (2007). An overview of reservoir computing : theory, applications and implementations. *Proceedings of ESANN 2007*, pages 471–482.
- Seiffert, U. (2001). Multiple-layer perceptron training using genetic algorithms.
- Sejnowski, T. J. (1999). The book of Hebb. *Neuron*, 24 :773–776.
- Senn, W., Markram, H., et Tsodyks, M. (2001). An algorithm for modifying neurotransmitter release probability based on pre- and post-synaptic spike timing. *Neural Comp.*, 13(1) :35–68.
- Shadlen, M. N. et Movshon, J. A. (1999). Synchrony unbound. A critical evaluation of the temporal binding hypothesis. *Neuron*, 24(1) :67–77.
- Shadlen, M. N. et Newsome, W. T. (1998). The variable discharge of cortical neurons : implications for connectivity, computation, and information coding. *J. Neurosci.*, 18(10) :3870–3896.
- Shastri, L. et Ajjanagadde, V. (1993). From simple associations to systematic reasoning : a connectionist representation of rules, variables, and dynamic bindings using temporal synchrony. *Behavioral and Brain Sciences*, 16 :417–494.
- Sherrington, C. S. (1906). *Integrative action of the nervous system*. Yale University Press, New Haven.
- Shin, C.-W. et Kim, S. (2006). Self-organized criticality and scale-free properties in emergent functional neural networks. *Phys. Rev. E*, 74 :045101.
- Siddiqi, A. et Lucas, S. (1998). A comparison of matrix rewriting versus direct encoding for evolving neural networks. In *Proc. of IEEE Int. Conf. Evol. Comp.*, pages 392–397, Piscataway, USA.
- Siegel, M. et König, P. (2003). A functional gamma-band defined by stimulus-dependent synchronization in area 18 of awake behaving cats. *Journal of Neuroscience*.
- Simard, D., Nadeau, L., et Kröger, H. (2005). Fastest learning in small-world neural networks. *Physics Letters A*, 336(1) :8–15.
- Simpson, G. G. (1953). The baldwin effect. *Evolution*, 7(2) :110–117.
- Singer, W. (1986). The brain as a self-organizing system. *Journal European Archives of Psychiatry and Clinical Neuroscience*.
- Singer, W. (1999). Neural synchrony : a versatile code for the definition of relations? *Neuron*, 24 :49–65.

- Singer, W. (2006). La conscience, un phénomène émergeant de l'activité neuronale cohérente. Conférence "L'esprit-cerveau dans tous ses états. Consciences et synchronisation cérébrale".
- Singer, W., Engel, A. K., Kreiter, A. K., Munk, M. H. J., Neuenschwander, S., et Roelfsema, P. R. (1997). Neuronal assemblies : necessity, signature and detectability. *Trends in Cog. Sci.*, 1(7) :252–261.
- Singer, W. et Gray, C. M. (1995). Visual feature integration and the temporal correlation hypothesis. *Annu. Rev. Neurosci.*, 18 :555–586.
- Skarda, C. A. et Freeman, W. J. (1987). How brains make chaos in order to make sense of the world. *Behav Brain Sci*, 10 :161–195.
- Smocovitis, V. B. (1996 (original edition 1930)). *Unifying Biology : The Evolutionary Synthesis and Evolutionary Biology*. Princeton University Press.
- Softky, W. R. et Koch, C. (1993). The highly irregular firing of cortical cells is inconsistent with temporal integration of random epsps. *J Neurosci*, 13 :334–350.
- Sompolinsky, H. et Tsodyks, M. (1994). Segmentation by a network of oscillators with stored memories. *Neural Computation*, 6(4) :642 – 657.
- Soula, H., Beslon, G., et Favrel, J. (2005). chapter 11. Evolution versus Learning in Temporal Neural Networks, pages 42–45. Springer, Vienna.
- Soulé, C. (2003). Graphic requirements for multistationarity. *ComplexUs*, 1 :123–133.
- Spencer, K. M., Nestor, P. G., Perlmutter, R., Niznikiewicz, M. A., Klump, M. C., Frumin, M., Shenton, M. E., et McCarley, R. W. (2004). Neural synchrony indexes disordered perception and cognition in schizophrenia. *Proc. Natl. Acad. Sci. USA*, 101(49) :17288–17293.
- Sperber, D. (1994). The modularity of thought and the epidemiology of representations. In Hirschfeld, L. A. et Gelman, S. A., editors, *Mapping the Mind : Domain specificity in cognition and culture*, pages 39–67, New York. Cambridge University Press.
- Sporns, O. et Tononi, G. (2002). Classes of network connectivity and dynamics. *Complexity*, 7(1) :28–38.
- Sporns, O., Tononi, G., et Edelman, G. (2000). Theoretical neuroanatomy : Relating anatomical and functional connectivity in graphs and cortical connection matrices. *Cerebral Cortex*, 10(2) :127–141.
- Sporns, O., Tononi, G., et Edelman, G. M. (1991). Modeling perceptual grouping and figure-ground segregation by means of active reentrant circuits. *Proc. Natl. Acad. Sci. USA*, 88 :129–133.
- Sporns, O., Tononi, G., et Kotter, R. (2005). The human connectome : A structural description of the human brain. *PLoS Comp. Biology*, 1(4) :e42.
- Stam, C. J. (2004). Functional connectivity patterns of human magnetoencephalographic recordings : a “small-world” network? *Neuroscience Letters*.

- Stam, C. J., Jones, B. F., Manshanden, I., van Cappellen van Walsumc, A., Montez, T., Verbunt, J. P. A., de Munck, J. C., van Dijk, B. W., Berendse, H., et Scheltens, P. (2006). Magnetoencephalographic evaluation of resting-state functional connectivity in alzheimer's disease. *NeuroImage*.
- Stam, C. J., Jones, B. F., Nolte, G., Breakspear, M., et Scheltens, P. (2007). Small-world networks and functional connectivity in alzheimer's disease. *Cerebral Cortex*.
- Steels, L. et Brooks, R. (1994). *The artificial life route to artificial intelligence : Building Situated Embodied Agents*. Lawrence Erlbaum Ass.
- Strogatz, S. H. (2001). Exploring complex networks. *Nature*, 410 :268–276.
- Sutton, R. S. et Barto, A. G. (1998). *Reinforcement Learning : An Introduction*. MIT Press, Cambridge, MA.
- Tallon-Baudry, C., Bertrand, O., Delpuech, C., et Pernier, J. (1996). Stimulus-specificity of phase-locked and non phase-locked 40-hz visual responses in human. *J. Neurosci.*, 16 :4240–4249.
- Tallon-Baudry, C., Bertrand, O., Delpuech, C., et Pernier, J. (1997a). Oscillatory γ -band activity (30-70 Hz) induced by a visual search task in human. *J. Neurosci.*, 17 :722–734.
- Tallon-Baudry, C., Bertrand, O., Peronnet, F., et Pernier, J. (1998). Induced γ -band activity during the delay of a visual short-term memory task in humans. *J. Neurosci.*, 18(11) :4244–4254.
- Tallon-Baudry, C., Bertrand, O., Wienbruch, C., Ross, B., et Pantev, C. (1997b). Combined EEG and MEG recordings of visual 40 Hz responses to illusory triangles in human. *Neuroreport*, 8(5) :1103–1107.
- Tegnér, J., Compte, A., et Wang, X.-J. (2002). The dynamical stability of reverberatory neural circuits. *Biological Cybernetics*.
- Tessier-Lavigne, M. et Goodman, C. S. (1996). The molecular biology of axon guidance. *Science*, 274(5290) :1123–1133.
- Thirion, B., Dodel, S., et Poline, J.-B. (2006). Detection of signal synchronizations in resting-state fmri datasets. *Neuroimage*.
- Thomas, R. (1981). On the relation between the logical structure of systems and their ability to generate multiple steady states or sustained oscillations. *Springer series in Synergetics*, 9 :180–193.
- Thomas, R. et Kaufman, M. (2001). Multistationnarity, the basis of cell differentiation and memory. I. Structural conditions of multistationarity and other nontrivial behavior. *Chaos*.
- Thorpe, S. J. (1990). Spike arrival times : A highly efficient coding scheme for neural networks. In et al, R. E., editor, *Parallel processing in neural systems and computers*, pages 91–94. Elsevier.
- Thorpe, S. J., Fize, D., et Marlot, C. (1996). Speed of processing in the human visual system. *Nature*, 381 :520–522.

- Thorpe, S. J., Guyonneau, R., Guilbaud, N., Allegraud, J. M., et Vanrullen, R. (2004). Spikenet : Real-time visual processing with one spike per neuron. *Neurocomputing*, 58-60 :857–64.
- Thorpe, S. J. et Imbert, M. (1989). Biological constraints on connectionist modelling. In Pfeifer, R., Schreter, Z., Fogelman-Soulie, F., et L.Steels, editors, *Connectionism in Perspective*, pages 63–92. Amsterdam : Elsevier.
- Tononi, G., Sporns, O., et Edelman, G. M. (1994). A measure for brain complexity : Relating functional segregation and integration in the nervous system. *Proc. of Natl Acad Sci USA*, 91(1) :5033–5037.
- Toyoizumi, T., Pfister, J.-P., Aihara, K., et Gerstner, W. (2007). Optimality model of unsupervised spike-timing-dependent plasticity : Synaptic memory and weight distribution. *Neural Comput.*, 19(3) :639 – 671.
- Traub, R. D. (2003). Fast oscillations and epilepsy. *Epilepsy Curr.*, 3(3) :77–79.
- Treisman, A. (1982). Perceptual grouping and attention in visual search for features and for objects. *J Exp Psychol Hum Percept Perform*, 8(2) :194–214.
- Treisman, A. (1986). Features and objects in visual processing. *Scient. Amer.*, 254 :114–125.
- Treisman, A. (1999). Solutions to the binding problem : Progress through controversy and convergence. *Neuron*, 24 :105–110.
- Treisman, A. et Gelade, G. (1980). A feature integration theory of attention. *Cognitive Psychology*, 12 :97–136.
- Tsodyks, M., Mitkov, I., et Sompolinsky, H. (1993). Pattern of synchrony in inhomogeneous networks of oscillators with pulse interactions. *Phys. Rev. Lett.*, 71(8) :1280–1283.
- Tsuda, I. (2001). Toward an interpretation of dynamic neural activity in terms of chaotic dynamical systems. *Behavioural and Brain Sciences*, 24 :793–847.
- van Gelder, T. J. (1998). The dynamical hypothesis in cognitive science. *Behavioral and Brain Sciences*, 21 :1–51.
- van Rullen, R. et Thorpe, S. (2001). Rate coding versus temporal order coding : What the retinal ganglion cells tell the visual cortex. *Neural Comp.*, 13 :1255–1283.
- van Valen, L. (1973). A new evolutionary law. *Evolutionary Theory*, 1 :1–30.
- van Vreeswijk, C., Abbott, L. F., et Ermentrout, G. B. (1994). When inhibition, not excitation synchronizes neural firing. *J Comput Neurosci*, 1 :313–322.
- van Vreeswijk, C. A. (1996). Partially synchronized states in networks of pulse-coupled neurons. *Phys. Rev. E*.
- Vapnik, V. N. (1998). *Statistical Learning Theory*. John Wiley.
- Varela, F., Lachaux, J. P., Rodriguez, E., et Martinerie, J. (2001). The brainweb : Phase synchronization and large-scale integration. *Nature Rev. Neurosci.*, 2 :229–239.
- Variano, E., McCoy, J., et Lipson, H. (2004). Networks, dynamics, and modularity. *Phys. Rev. Lett.*, 92 :188701.

- Victor, J. et Purpura, K. (1996). Nature and precision of temporal coding in visual cortex : a metric-space analysis. *J. Neurophysiol.*
- Vidal, J. R., Chaumon, M., K, O., et C, T.-B. (2006). Visual grouping and selective attention induce gamma-band oscillations at different frequencies in human meg signals. *J. Cog. Neurosci.*, 18 :1850–1862.
- Vogels, R. (1999). Categorization of complex visual images by rhesus monkeys. Part 2 : single-cell study. *European Journal of Neuroscience*, 11(4) :1239–1255.
- Volgushev, M., Chistiakova, M., et Singer, W. (1998). Modification of discharge patterns of neocortical neurons by induced oscillations of the membrane potential. *Neurosci*, 83(1) :15–25.
- von der Malsburg, C. (1981). The correlation theory of brain function. Technical report, Max Planck Institute for Biophysical Chemistry, Gottingen, Germany.
- von der Malsburg, C. (1995). Binding in models of perception and brain functions. *Curr. Opin. Neurobiol.*, 5 :520–526.
- von der Malsburg, C. (1999). The what and why of binding : The modeler’s perspective. *Neuron*, 24 :95–104.
- von der Malsburg, C. et Schneider, W. (1986). A neural cocktail-party processor. *Biological Cybernetics*.
- von Stein, A., Rappelsberger, P., Sarnthein, J., et Petsche, H. (1999). Synchronization between temporal and parietal cortex during multimodal object processing in man. *Cerebral Cortex*, 9(2) :137–150.
- Vose, M. (1991). Generalizing the notion of schema in genetic algorithms. *Artificial Intelligence*, 50 :385–396.
- Waddington, C. (1942). Canalization of development and the inheritance of acquired characters. *Nature*, 150 :563–565.
- Wang, X.-J. (1993). Ionic basis for intrinsic 40 hz neuronal oscillations. *NeuroReport*.
- Wang, X.-J. et Buzsáki, G. (1996). Gamma oscillation by synaptic inhibition in a hippocampal interneuronal network model. *J Neurosci*, 16(20) :6402–6413.
- Wang, X.-J. et Rinzel, J. (1992). Alternating and synchronous rhythms in reciprocally inhibitory model neurons. *Neural Comput*, 4 :84–97.
- Wason, P. C. (1971). Natural and contrived experience in a reasoning problem. *Quarterly Journal of Experimental Psychology*.
- Watanabe, J. et Iwai, E. (1991). Neuronal activity in visual, auditory and polysensory areas in the monkey temporal cortex during visual fixation task. *Brain Res. Bull.*, 26(4) :583–92.
- Watanabe, M., Nakanishi, K., et Aihara, K. (2001). Solving the binding problem of the brain with bi-directional functional connectivity. *Neural Networks*.
- Watkins, C. et Dayan, P. (1992). Q-learning. *Machine Learning*, 8 :279–292.

- Watson, J. D. et Crick, F. H. C. (1953). Molecular structure of nucleic acids : A structure for deoxyribose nucleic acid. *Nature*, 171 :737–738.
- Watts, D. et Strogatz, S. (1998). Collective dynamics of 'small-world' networks. *Nature*, 393 :440–442.
- Weber, B. H. et Depew, D. J., editors (2003). *Evolution and Learning : The Baldwin Effect Reconsidered*. MIT Press, Cambridge MA.
- Wehr, M. et Laurent, G. (1996). Odour encoding by temporal sequences of firing in oscillating neural assemblies. *Nature*, 384 :162–166.
- Whittington, M. A., Traub, R. D., Faulkner, H. J., Stanford, I. M., et Jefferys, J. G. R. (1997). Recurrent excitatory postsynaptic potentials induced by synchronized fast cortical oscillations. *Proc. Natl. Acad. Sci. USA*, 94 :12198–12203.
- Widrow, B. et Hoff, M. E. (1960). Adaptive switching circuits. *1960 WESCON Convention Record, Part IV*, pages 96–104.
- Wilkinson, D. M. et Huberman, B. A. (2004). A method for finding communities of related genes. *Proc. Nat. Acad. Sci. USA*, 101(Suppl. 1) :5241–5248.
- Woodin, M., Ganguly, K., et Poo, M. (2003). Coincident pre- and postsynaptic activity modifies GABAergic synapses by postsynaptic changes in Cl⁻ transporter activity. *Neuron*, 39(5) :807–820.
- Worrell, G. A., Parish, L., Cranston, S. D., Jonas, R., Baltuch, G., et Litt, B. (2004). High-frequency oscillations and seizure generation in neocortical epilepsy. *Brain*.
- Wozniak, A. (2006a). *Evolutionary theory of knowledge. The phylogenetic relation from representation to object*. PhD thesis, Université Jean Moulin Lyon 3.
- Wozniak, A. (2006b). Phylogenetically acquired representations and evolutionary algorithms. In *Computers and Philosophy*, Laval, France.
- Yamaguchi, Y., Aota, Y., Sato, N., Wagatsuma, H., et Wu, Z. (2004). Synchronization of neural oscillations as a possible mechanism underlying episodic memory : A study of theta rhythm in the hippocampus. *J Integ. Neurosci.*, 3(2) :143–157.
- Yamane, S., Kaji, S., et Kawano, K. (1988). What facial features activate face neurons in the inferotemporal cortex of the monkey? *Exp. Brain Res.*, 73(1) :209–214.
- Yao, X. (1999). Evolving artificial neural networks. *Proc. IEEE*, 87(9) :1423–1447.
- Yeung, M. K. S. et Strogatz, S. H. (1999). Time delay in the kuramoto model of coupled oscillators. *Phys. Rev. Lett.*, 82(3) :648–651.
- Zhang, L. I., Tao, H. W., Holt, C. E., Harris, W. A., et Poo, M.-M. (1998). A critical window for cooperation and competition among developing retinotectal synapses. *Nature*, 395 :37–44.