

Bibliographie

Géométrie discrète et algorithmique

- ACKETA, D. et ZUNIĆ, J. (1995). On the maximal number of edges of convex digital polygons included into a $m \times m$ -grid. *Journal of Combinatorial Theory, Series A*, 69(2): 358–368.
- AGARWAL, P. K., ARONOV, B., HAR-PELED, S. et SHARIR, M. (2000). Approximation and exact algorithms for minimum-width annuli and shells. *Discrete & Computational Geometry*, 24(4):687–705.
- AGGARWAL, A., GUIBAS, L. J., SAXE, J. et SHOR, P. W. (1989). A linear-time algorithm for computing the voronoi diagram of a convex polygon. *Discrete Computational Geometry*, 4(6):591–604.
- ANDERSON, T. A. et KIM, C. E. (1985). Representation of digital line segments and their preimages. *Computer vision, graphics, and image processing*, 30(3):279–288.
- ANDRES, E. (1994). *Cercles discrets et rotations discrètes*. Thèse de doctorat, Université Louis Pasteur.
- ANDRES, E. (2000). *Modélisation Analytique Discrète d'Objets Géométriques*. Habilitation à diriger des recherches, Université de Poitiers.
- ANDRES, E. (2003). Discrete linear objects in dimension n : the standard model. *Graphical Models*, 65(1-3):92–111.
- ANDREW, A. M. (1979). Another efficient algorithm for convex hulls in two dimensions. *Information Processing Letters*, 9(5):216–219.
- BALZA-GOMEZ, H., MOREAU, J.-M. et MICHELUCCI, D. (1999). Convex hull of grid points below a line or a convex curve. In *8-th International Conference on Discrete Geometry for Computer Imagery*, volume 1568 de *Lecture Notes on Computer Science*, pages 361–374. Springer.

-
- BERMAN, M. (1989). Large sample bias in least squares estimators of a circular arc center and its radius. *Computer Vision Graphics and Image Processing*, 45(1):126–128.
- BOSE, P. et MORIN, P. (2004). Testing the quality of manufactured disks and balls. *Algorithmica*, 38(11):161–177.
- BOTTEMA, M. J. (2000). Circularity of objects in images. *In International Conference on Acoustics, Speech, and Signal Processing*, pages 2247–2250.
- BRESENHAM, J. (1977). A linear algorithm for incremental digital display of circular arcs. *Communications of the ACM*, 20(2):100–106.
- BRLEK, S., LACHAUD, J. O., PROVENÇAL, X. et REUTENAUER, C. (2009). Lyndon + christoffel = digitally convex. *Pattern Recognition*, 42(10):2239–2246.
- BROWN, K. Q. (1979). Voronoi Diagrams from Convex Hulls. *Information Processing Letters*, 9:223–228.
- BRUCKSTEIN, A. M. (1991). Self-similarity properties of digitized straight lines. *In MELTER, R. A., ROSENFELD, A. et BHATTACHARYA, P., éditeurs : Vision Geometry*, volume 119 de *Contemporary Mathematics*, pages 1–20. American Mathematical Society.
- BUZER, L. (2005). An elementary algorithm for digital line recognition in the general case. *In 12-th International Conference on Discrete Geometry for Computer Imagery*, volume 3429 de *Lecture Notes on Computer Science*, pages 299–310. Springer.
- BUZER, L. (2007). Computing multiple convex hulls of a simple polygonal chain in linear time. *In 23rd European Workshop on Computational Geometry*, pages 114–117.
- CHAN, T. M. (1996). Optimal Output-Sensitive Convex Hull Algorithms in Two and Three Dimensions. *Discrete & Computational Geometry*, 16(4):361–368.
- CHASSERY, J. (1983). Discrete convexity: Definition, parametrization, and compatibility with continuous convexity. *Computer Vision Graphics and Image Processing*, 21(3):326–344.
- CHAUDHURI, B. et ROSENFELD, A. (1998). On the computation of the digital convex hull and circular hull of a digital region. *Pattern Recognition*, 31(12):2007–2016.
- CHEN, M.-C. (2002). Roundness measurements for discontinuous perimeters via machine visions. *Computers in Industry*, 47:185–197.
- CHIN, F. et WANG, C. A. (1999). Finding the constrained delaunay triangulation and constrained voronoi diagram of a simple polygon in linear time. *SIAM Journal on Computing*, 28(2):471–486.
- COEURJOLLY, D., GÉRARD, Y., REVEILLÈS, J.-P. et TOUGNE, L. (2004). An elementary algorithm for digital arc segmentation. *Discrete Applied Mathematics*, 139(1-3):31–50.
-

BIBLIOGRAPHIE

- COEURJOLLY, D. et KLETTE, R. (2004). A comparative evaluation of length estimators of digital curves. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 26(2):252–257.
- COEURJOLLY, D., MIGUET, S. et TOUGNE, L. (2001). Discrete curvature based on osculating circle estimation. In *4th International Workshop on Visual Form*, pages 303–312.
- COEURJOLLY, D., MONTANVERT, A. et CHASSERY, J.-M. (2007). Géométrie discrète et images numériques. Ouvrage collectif, *Traité IC2*, Hermès, pp-416.
- CREUTZBURG, E., HÜBLER, A. et SÝKORA, O. (1988). Geometric methods for on-line recognition of digital straight-line segments. *Computers and Artificial Intelligence*, 7(3): 253–276.
- CREUTZBURG, E., HÜBLER, A. et WEDLER, V. (1982). On-line recognition of digital straight line segments. In *Second International Conference on AI and Information Control Systems of Robots*, pages 42–46.
- DAMASCHKE, P. (1995). The linear time recognition of digital arcs. *Pattern Recognition Letters*, 16(5):543–548.
- de BERG, M., BOSE, P., BREMNER, D., RAMASWAMI, S. et WILFONG, G. (1998). Computing constrained minimum-width annuli of points sets. *Computers-Aided Design*, 30(4):267–275.
- de BERG, M., van KREVELD, M., OVERMARS, M. et SCHARZKOPF, O. (2000). *Computation geometry, algorithms and applications*. Springer.
- de VIEILLEVILLE, F., LACHAUD, J.-O. et FESCHET, F. (2007). Maximal digital straight segments and convergence of discrete geometric estimators. *Journal of Mathematical Image and Vision*, 27(2):471–502.
- DEBLED-RENNESON, I., FESCHET, F. et ROUYER-DEGLI, J. (2006). Optimal blurred segments decomposition of noisy shapes in linear time. *Computers and Graphics*, 30(1): 30–36.
- DEBLED-RENNESON, I., RÉMY, J.-L. et ROUYER-DEGLI, J. (2003). Detection of the discrete convexity of polyominoes. *Discrete Applied Mathematics*, 125(1):115–133.
- DEBLED-RENNESON, I. et REVEILLÈS, J.-P. (1995). A linear algorithm for segmentation of digital curves. *International Journal of Pattern Recognition and Artificial Intelligence*, 9(4):635–662.
- DORKSEN-REITER, H. (2004). *Shape Representations of Digital Sets based on Convexity Properties*. Dissertation, Universität Hamburg.

-
- DORKSEN-REITER, H. et DEBLED-RENNESON, I. (2006a). Convex and concave parts of digital curves. In KLETTE, R., KOZERA, R., NOAKES, L. et WEICKERT, J., éditeurs : *Geometric Properties from Incomplete Data*, volume 31 de *Computational Imaging and Vision*, pages 145–159. Springer.
- DORKSEN-REITER, H. et DEBLED-RENNESON, I. (2006b). A linear algorithm for polygonal representations of digital sets. In *International Workshop in Combinatorial Image Analysis*, pages 307–319.
- DORST, L. et SMEULDERS, A. W. M. (1984). Discrete representation of straight lines. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 6(4):450–463.
- DREZNER, Z., STEINER, S. et WESOLOWSKY, G. O. (2002). On the circle closest to a set of point. *Computers and operations research*, 29(6):637–650.
- ECKHARDT, U. (2001). Digital lines and digital convexity. In *Digital and image geometry: advanced lectures*, volume 2243 de *Lecture Notes in Computer Science*, pages 209–228. Springer.
- ECKHARDT, U. et DORKSEN-REITER, H. (2004). Polygonal representations of digital sets. *Algorithmica*, 38(1):5–23.
- EFRAT, A. et GOTSMAN, C. (1994). Subpixel image registration using circular fiducials. *International Journal of Computational Geometry & Applications*, 4(4):403–422.
- FESCHET, F. (2004). *Méthodes de géométrie discrète pour la caractérisation, la représentation et la reconstruction d'objets discrets*. Habilitation à diriger des recherches, Université Blaise Pascal.
- FESCHET, F. (2005). Canonical representations of discrete curves. *Pattern Analysis and Applications*, 8(1):84–94.
- FESCHET, F. et TOUGNE, L. (1999). Optimal time computation of the tangent of a discrete curve: Application to the curvature. In *8-th International Conference on Discrete Geometry for Computer Imagery*, volume 1568 de *Lecture Notes on Computer Science*, pages 31–40. Springer.
- FESCHET, F. et TOUGNE, L. (2005). On the Min DSS problem of closed discrete curves. *Discrete Applied Mathematics*, 151(1-3):138–153.
- FIORIO, C., JAMET, D. et TOUTANT, J.-L. (2006). Discrete circles: an arithmetical approach with non-constant thickness. In *Vision Geometry XIV, Electronic Imaging, SPIE*, volume 6066, pages 60660C.1–60660C.12.
- FIORIO, C. et TOUTANT, J.-L. (2006). Arithmetic discrete hyperspheres and separatingness. In *13-th International Conference on Discrete Geometry for Computer Imagery*, volume 4245 de *Lecture Notes on Computer Science*, pages 425–436. Springer.
-

BIBLIOGRAPHIE

- FISK, S. (1986). Separating points sets by circles, and the recognition of digital disks. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 8(4):554–556.
- FREEMAN, H. (1961). On the encoding of arbitrary geometric configurations. *IEEE Transaction on Electronic Computers*, 10(2):260–268.
- FREEMAN, H. (1970). Boundary encoding and processing. *In Picture Processing and Psychopictorics*, pages 241–266.
- FREEMAN, H. (1974). Computer processing of line drawing images. *Surveys*, 6(1):57–97.
- GASS, S. I., WITZGALL, C. et HARARY, H. H. (1998). Fitting circles and spheres to coordinate measuring machine data. *The International Journal in Flexible Manufacturing Systems*, 10(1):5–25.
- GRAHAM, R. L. (1972). An efficient algorithm for determining the convex hull of a finite planar set. *Information Processing Letters*, 1(4):132–133.
- GROEN, F. et VERBEEK, P. (1978). Freeman-code probabilities of object boundary quantized contours. *Computer Graphics Image Processing*, 7(3):391–402.
- HAR-PELED, S. (1998). An output sensitive algorithm for discrete convex hulls. *Computational Geometry : Theory and Applications*, 10(2):125–138.
- HARALICK, R. M. (1974). A measure for circularity of digital figures. *IEEE Transactions on Systems, Man and Cybernetics*, 4:394–396.
- HARDY, G. H. et WRIGHT, E. M. (1978). *An introduction to the theory of numbers*. Oxford science publications.
- HIRATA, T. (1996). A unified linear-time algorithm for computing distance maps. *Information Processing Letters*, 58(3):129–133.
- HOULE, M. E. et TOUSSAINT, G. T. (1988). Computing the width of a set. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 10(5):761–765.
- HÜBLER, A., KLETTE, R. et VOSS, K. (1981). Determination of the convex hull of a finite set of planar points within linear time. *In Elektronische Informationsverarbeitung Kybernetik*, volume 17, pages 121–139.
- JARVIS, R. (1973). On the identification of the convex hull of a finite set of points in the plane. *Information Processing Letters*, 2:18–21.
- KANUNGO, T., HARALICK, R. M., BAIRD, H. S., STUEZLE, W. et MADIGAN, D. (2000). A statistical, nonparametric methodology for document degradation model validation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22(11):1209–1223.

-
- KERAUTRET, B. et LACHAUD, J.-O. (2009). Curvature estimation along noisy digital contours by approximate global optimization. *Pattern Recognition*, 42(10):2265–2278.
- KIM, C. (1982a). On cellular straight line segments. *Computer Graphics Image Processing*, 18(4):369–381.
- KIM, C. E. (1981). On the cellular convexity of complexes. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 3(6):617–625.
- KIM, C. E. (1982b). Digital convexity, straightness, and convex polygons. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 4(6):618–626.
- KIM, C. E. (1984). Digital disks. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 6(3):372–374.
- KIM, C. E. et ANDERSON, T. A. (1984). Digital disks and a digital compactness measure. *In Annual ACM Symposium on Theory of Computing*, pages 117–124.
- KIM, C. E. et ROSENFELD, A. (1981). Digital straightness and convexity. *In Thirteenth annual ACM symposium on Theory of computing*, pages 80–89.
- KIM, C. E. et ROSENFELD, A. (1982). Digital straight lines and convexity of digital regions. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 4(2):149–153.
- KIM, C. E. et SKLANSKY, J. (1982). Digital and cellular convexity. *Pattern Recognition*, 15(5):359–367.
- KLETTE, R., KOVALEVSKY, V. et YIP, B. (1999). On the length estimation of digital curves. *In Vision geometry, VIII, Electronic Imaging, SPIE*, volume 3811, pages 117–128.
- KLETTE, R. et ROSENFELD, A. (2004). Digital straightness – a review. *Discrete Applied Mathematics*, 139(1-3):197–230.
- KLETTE, R. et ŽUNIĆ, J. (2000). Multigrid convergence of calculated features in image analysis. *Journal of Mathematical Imaging and Vision*, 13(3):173–191.
- KOPLOWITZ, J. (1981). On the performance of chain codes for quantization of line drawings. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 3(2):180–185.
- KOVALEVSKY, V. A. (1989). Finite topology as applied to image analysis. *Computer, Vision, Graphics and Image Processing*, 46(2):141–161.
- KOVALEVSKY, V. A. (1990). New definition and fast recognition of digital straight segments and arcs. *In Tenth International Conference on Pattern Analysis and Pattern Recognition*, pages 31–34.
-

BIBLIOGRAPHIE

- KOVALEVSKY, V. A. (2001). Algorithms and data structures for computer topology. *In Digital and image geometry: advanced lectures*, volume 2243 de *Lecture Notes in Computer Science*, pages 38–58. Springer.
- LACHAUD, J.-O., VIALARD, A. et de VIEILLEVILLE, F. (2007). Fast, accurate and convergent tangent estimation on digital contours. *Image and Vision Computing*, 25(10):1572–1587.
- LANDAU, U. M. (1987). Estimation of a circular arc center and its radius. *Computer Vision, Graphics and Image Processing*, 38(3):317–326.
- LATECKI, L. J. et LAKÄMPER, R. (1999). Convexity rule for shape decomposition based on discrete contour evolution. *Computer Vision and Image Understanding*, 73(3):441–454.
- LE, V.-B. et LEE, D. T. (1991). Out-of-roundness problem revisited. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(3):217–223.
- LI, S. X. et LOEW, M. H. (1988). Analysis and modeling of digitized straight-line segments. *In Ninth International Conference on Pattern Recognition*, pages 294–296.
- LINDENBAUM, M. et BRUCKSTEIN, A. (1993). On recursive, $\mathcal{O}(n)$ partitioning of a digitized curve into digital straight segments. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 15(9):949–953.
- MCILROY, M. D. (1984). A note on discrete representation of lines. *AT&T Bell Laboratories technical journal*, 64(2):481–490.
- MEGIDDO, N. (1984). Linear programming in linear time when the dimension is fixed. *SIAM Journal on Computing*, 31(1):114–127.
- MELKMAN, A. A. (1987). On-line construction of the convex hull of a simple polyline. *Information Processing Letters*, 25(1):11–12.
- MINSKY, M. et PAPERT, S. (1968). *Perceptions*. MIT Press, Cambridge, MA.
- NGUYEN, T. et DEBLED-RENNESON, I. (2007). Curvature estimation in noisy curves. *In 12th International Conference on Computer Analysis of Images and Patterns*, pages 474–481.
- O’ROURKE, J. (1981). An on-line algorithm for fitting straight lines between data ranges. *Communications of the ACM*, 24(9):574–578.
- O’ROURKE, J., KOSARAJU, S. R. et MEGGIDO, N. (1986). Computing circular separability. *Discrete and Computational Geometry*, 1:105–113.
- OVERMARS, M. et VAN LEEUWEN, J. (1981). Maintenance of configurations in the plane. *Journal of Computer and System Sciences*, 23(2):166–204.

-
- PEGNA, J. et GUO, C. (1998). Computational metrology of the circle. *In Computer graphics international*, pages 350–363.
- PHAM, S. (1992). Digital circles with non-lattice point centers. *The Visual Computer*, 9(1):1–24.
- PIRZADEH, H. (1999). Computational geometry with the rotating calipers. Mémoire de D.E.A., McGill University.
- PREPARATA, F. P. (1979). An optimal real-time algorithm for planar convex hulls. *Communications of the ACM*, 22(7):402–405.
- PREPARATA, F. P. et SHAMOS, M. I. (1985). *Computational geometry : an introduction*. Springer.
- PROVENCAL, X. et LACHAUD, J.-O. (2009). Two linear-time algorithms for computing the minimum length polygon of a digital contour. *In 15-th IAPR International Conference on Discrete Geometry for Computer Imagery*, volume 5810 de *Lecture Notes on Computer Science*, pages 104–117. Springer.
- REVEILLÈS, J.-P. (1991). *Géométrie Discrète, calculs en nombres entiers et algorithmique*. Thèse d'état, Université Louis Pasteur.
- RITTER, N. et COOPER, J. (2009). New resolution independent measures of circularity. *Journal of Mathematical Imaging and Vision*, 35(3):117–127.
- RIVLIN, T. J. (1979). Approximation by circles. *Computing*, 21:93–104.
- RONSE, C. (1985). Definition of convexity and convex hulls in digital images. *Bulletin of the Belgian Mathematical Society*, 37(2):71–85.
- RONSE, C. (1989). A bibliography on digital and computational convexity (1961-1988). *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(2):181–190.
- ROSENFELD, A. (1970). Connectivity in digital pictures. *Journal of the ACM*, 17(1):146–160.
- ROSENFELD, A. (1974). Digital straight line segments. *IEEE Transactions on Computers*, 23(12):1264–1269.
- ROY, U. et ZHANG, X. (1992). Establishment of a pair of concentric circles with the minimum radial separation for assessing roundness error. *Computer Aided Design*, 24(3):161–168.
- SAUER, P. (1993). On the recognition of digital circles in linear time. *Computational Geometry*, 2(5):287–302.
-

BIBLIOGRAPHIE

- SCHRIJVER, A. (1986). *Theory of linear and integer programming*. John Wiley & Sons, Inc.
- SHAKARJI, C. M. et CLEMENT, A. (2004). Reference algorithms for chebyshev and one-sided data fitting for coordinate metrology. *CIRP Annals - Manufacturing Technology*, 53(1):439–442.
- SHAMOS, M. I. (1978). *Computational Geometry*. Thèse de doctorat, Yale University.
- SHLIEN, S. (1983). Segmentation of digital curves using linguistic techniques. *Computer Vision, Graphics, and Image Processing*, 22(2):277–286.
- SKLANSKY, J. (1970). Recognition of convex blobs. *Pattern Recognition*, 2(1):3–10.
- SKLANSKY, J. (1972). Measuring concavity on a rectangular mosaic. *IEEE Transactions on Computers*, 21(12):1355–1364.
- SKLANSKY, J., CHAZIN, R. L. et HANSEN, B. J. (1972). Minimum-perimeter polygons of digitized silhouettes. *IEEE Transactions on Computers*, 21(3):260–268.
- SLOBODA, F., ZATKO, B. et STOER, J. (1998). On Approximation of planar one-dimensional continua. In KLETTE, R., ROSENFELD, A. et SLOBODA, F., éditeurs : *Advances in digital and computational geometry*, pages 113–160. Springer.
- SWANSON, K., LEE, D. T. et WU, V.-C. L. (1995). An optimal algorithm for roundness determination on convex polygons. *Computational Geometry*, 5(4):225–235.
- THOMAS, S. M. et CHAN, Y. T. (1989). A simple approach to the estimation of circular arc center and its radius. *Computer Vision, Graphics and Image Processing*, 45(3):362–370.
- TOUSSAINT, G. T. (1983). Solving geometric problems with the rotating calipers. In *Second Mediterranean Electrotechnical Conference*, pages A10.02/1–4.
- TOUSSAINT, G. T. (1985). A simple linear algorithm for intersecting convex polygons. *The Visual Computer*, 1(2):118–123.
- TROESCH, A. (1993). Interprétation géométrique de l’algorithme d’euclide et reconnaissance de segments. *Theoretical Computer Science*, 115(2):291–319.
- VEELAERT, P. (1999). Geometric constructions in the digital plane. *Journal of Mathematical Imaging and Vision*, 11(2):99–118.
- VOSS, K. (1991). Coding of digital straight lines by continued fractions. *Computers and Artificial Intelligence*, 10(1):75–80.
- WORRING, M. et SMEULDERS, A. W. M. (1995). Digitized circular arcs: characterization and parameter estimation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 17(6):554–556.

WU, L.-D. (1982). On the chain code of a line. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 4(3):347–353.

YUAN, J. et SUEN, C. Y. (1995). An optimal $\mathcal{O}(n)$ algorithm for identifying line segments from a sequence of chain codes. *Pattern Recognition*, 28(5):635–646.

Forme des particules sédimentaires

BUNTE, K. et ABT, S. (2001). Sampling surface and subsurface particle-size distributions in wadable gravel- and cobble-bed streams for analyses of sediment transport, hydraulics, and streambed monitoring. Rapport technique, Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.

COTTED, M. L. (2006). Mesure et structures spatiales et temporelles de l'émoissé des galets dans le réseau hydrographique du bez. Rapport technique, Université Jean Moulin Lyon 3.

DIEPENBROEK, M., BARTHOLOMÄ, A. et IBBEKEN, H. (1992). How round is round? a new approach to the topic 'roundness' by fourier grain shape analysis. *Sedimentology*, 39(3):411–422.

DREVIN, G. R. et VINCENT, L. (2002). Granulometric determination of sedimentary rock particle roundness. In *International Symposium on Mathematical Morphology*, pages 315–325.

HAYAKAWA, Y. et OGUCHI, T. (2005). Evaluation of gravel sphericity and roundness based on surface-area measurement with a laser scanner. *Computers Geosciences*, 31(5):735–741.

KRUMBEIN, W. C. (1941). Measurement and geological significance of shape and roundness of sedimentary particles. *Journal of Sedimentary Petrology*, 11(2):64–72.

PISSART, A., DUCHESNE, F. et VANBRABANT, C. (1998). La détermination pratique des intervalles de confiance des comptages de cailloux et des mesures d'émoissé. Comparaison des mesures d'émoissé de Cailleux et de Krumbein. *Géomorphologie : relief, processus, environnement*, 3:195–214.

WADELL, H. (1932). Volume, shape, and roundness of rock particles. *Journal of Geology*, 40:443–451.

Publications

- ROUSSILLON, T., PIÉGAY, H., SIVIGNON, I., TOUGNE, L. et LAVIGNE, F. (2009a). Automatic computation of pebble roundness using digital imagery and discrete geometry. *Computers & Geosciences*, 35:1992–2000.
- ROUSSILLON, T., SIVIGNON, I. et TOUGNE, L. (2007). Computation of binary objects sides number using discrete geometry, application to automatic pebbles shape analysis. *In 14-th IEEE International Conference on Image Analysis and Processing (ICIAP 2007)*, pages 763–768. IEEE Computer Society.
- ROUSSILLON, T., SIVIGNON, I. et TOUGNE, L. (2008a). Robust decomposition of a digital curve into convex and concave parts. *In 19-th IAPR International Conference on Pattern Recognition (ICPR'08)*.
- ROUSSILLON, T., SIVIGNON, I. et TOUGNE, L. (2008b). Test and measure of circularity for digital curves. *In The 2008 International Conference on Image Processing, Computer Vision, and Pattern Recognition (ICCV'08)*.
- ROUSSILLON, T., SIVIGNON, I. et TOUGNE, L. (2009b). On three constrained versions of the digital circular arc recognition problem. *In 15-th IAPR International Conference on Discrete Geometry for Computer Imagery (DGCI'09)*, LNCS. Springer.
- ROUSSILLON, T., SIVIGNON, I. et TOUGNE, L. (2009c). What does digital straightness tell about digital convexity. *In 13-th International Workshop on Combinatorial Image Analysis (IWCIA'09)*, LNCS. Springer.
- ROUSSILLON, T., SIVIGNON, I. et TOUGNE, L. (2010). A measure of circularity for parts of digital boundary and its fast computation. *Pattern Recognition*, 43(1):37–46.